



NUPLA[®]

 **MADE IN USA**
WITH US & GLOBAL COMPONENTS

 **SAUNDERSMIDWEST** *A Quality Brand of*



When only the best will do, go to **NUPLA®**, the leader in U.S. manufacturing of specialty industrial grade hand tools since 1938. The pioneer and innovator of TCP (Tension - Continuous - Parallel) pultruded Nuplaglas®, NUPLA produces the strongest and safest fiberglass-handled tools available. In its 55,000 square foot facility in Sun Valley, California the company produces over 1,000 hand tools including soft-face and steel hammers, shovels, rakes, axes, non-conductive tools and replacement handles - All made proudly in the USA, by American workers.

NUPLA's history is one of invention, via the development of plastics and related technologies since the 1930's. NUPLA has continued innovating for over 80 years and has earned the reputation as the industry standard for fiberglass striking, cutting, digging and fire tools. We have earned our stripe as the manufacturer of the World's Strongest Hand Tools and we put that stripe on every tool we produce:

Nupla®, Ergo-Power®, Nuplaglas®, Smart Hammer®, Power Drive®, Strike Pro®, IMPAX®, Power Pylon®, NuPro®, Nuplabond®, and Mech/Loc® are registered trademarks of Nupla Corporation.

GET THE STRIPE™ and NuPole™ are trademarks of Nupla Corporation.

GET THE STRIPE®

CONTENTS



STRIKING TOOLS

SOFT FACED, NON-SPARKING, STEEL, BRASS, RUBBER, SLEDGES

06



AXES, MAULS, PICKS & MATTOCKS

19



DIGGING TOOLS

SHOVELS, SPADES, SCOOPS, NON-CONDUCTIVE, NUPOLE

20



MAINTENANCE TOOLS

LANDSCAPE, JANITORIAL, PRY BARS, BOLT CUTTERS, FENCING, PAVING

31



MILL & FORESTRY TOOLS

UTILITY PIKE POLES, PICKEROONS

35



FIRE TOOLS

PIKE POLES, ROOF HOOKS, FIRE AXES, HALLIGANS, WILDLAND, NUPOLE

36



REPLACEMENT HANDLES

44

WWW.NUPLATOOLS.COM

THE BEST COMPONENTS

Classic Nuplaglas® Handles

Nuplaglas Handles have been the standard of the industry for over 80 years. Thousands of strands of fiberglass encased in a proprietary resin deliver a super-duty handle. Tough enough to carry the Nupla Lifetime Warranty.

Ergo-Power® Handles

Same super-duty Nuplaglas® construction with an injection molded protective coating. Protects and extends the life of the handle and grip becomes an integral portion of the handle.

Nupla Striking Heads

Nupla molded striking heads are available in various hardnesses of non-marring polymers. Forged steel heads available in forged steel or brass, and are heat treated for specific levels of hardness.

Nupla Striking Tool Grips

SUPER GRIP



- Safest grip in the industry
- Use in all weather conditions, with or without gloves
- Classic Rubber or integrated Ergo style

SG

CUSH-N-GRIP



- Long, sleek grip
- Available in rubber

H

CIRCULAR STRIPE



- C and CS (short) sizes
- Comfortable standard grip and design
- Available in rubber or integrated molded design

C CS

SINGLE BIT GRIP



- Provides direction accuracy for single bit axes and mauls

SB

CIRCULAR STRIPE



- CSL, long sizes
- Comfortable standard grip and design
- Available in rubber or integrated molded design

CSL

DOUBLE BIT GRIP



- For double bladed chopping tools

DB

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

THE BEST TOOLS

Best in Quality • Best in Design • Best in Performance


Only the highest quality materials go into NUPLA tools. Nuplaglas® handles are manufactured in the USA to precise specifications and carry a Lifetime Warranty. Each and every Nupla tool has been engineered, tested and retested for balance, strength and durability. With hundreds of handle length and grip combinations, Nupla can deliver the tools to maximize performance in any application.

From a precise tap to the heaviest demolition projects, we have the tool you need.

Custom Design & Colors with OEM Parts for:

- Manufacturing
- Railroads/Mining
- Fire Utilities
- Building
- Landscape
- Safety
- Construction
- Telecommunications
- Hazmat
- Roads & Highways
- Wood Working
- Military
- Automotive
- Metal Working
- Aerospace

NUPLA INNOVATIONS IN TOOLS



Nuplaglas® Composites

Nuplaglas® Composites are designed to perform like steel while maintaining the flexibility and lightweight advantages of Nuplaglas.

Integral Rebar

Patented process used in all Nupla digging tool handles providing optimum strength-to-weight ratio. Short lengths of solid fiberglass incorporated at critical stress points in the handle pultrusion process assure superior reinforcement.

Impax® Power Drive®

Dead Blow and 'Quick-Change' hammers featuring Nupla's unique Smart Hammer® Technology, which delivers precision strikes with non-marring surface protection.

Ergonomic Handle & Grip Designs

Digging tool handles designed to reduce fatigue and provide greater control of the load. Striking tools made with three grip styles in Classic Nuplaglas® and Ergo-Power®, offer the ability to match the tool to the operator and job.

Power Pylon®

A rivetless shovel connection, molded to the handle end, engineered to provide an integral fusion of a Nuplaglas® handle to the shovel blade.

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SOFT FACED DEAD BLOW HAMMERS

Non-marring Smart Hammer® Technology



EXTREME POWER DRIVE®

- Shot-loaded composite interior cavities fully encased in a tough polymer outer jacket
- Free flowing inner shot concentrates striking power and increases driving force
- Cast urethane face to protect hammer when striking sharp metal surfaces
- Available with one steel face for extra hard surfaces

STANDARD POWER DRIVE®

- Shot-loaded composite interior cavities fully encased in a tough polymer outer jacket
- Free flowing inner shot concentrates striking power and increases driving force
- Non-marring face protects surface being struck
- Available with one steel face for extra hard surfaces

STRIKE PRO® POWER DRIVE®

- All the dead blow features of the Power Drive in a lighter, more economical configuration
- Available in two colors for dedicated job identification

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HEAD LENGTH	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
10061	Extreme Power Drive Hammer (SDSF-1SG)	1 lb	4.5"	12.5"	SG	5	5.75 lb
10051	Extreme Power Drive Hammer (SDSF-1)	1 lb	4.5"	12.5"	C	5	5.75 lb
10062	Extreme Power Drive Hammer (SDSF-2SG)	2 lb	5"	13.75"	SG	5	10.75 lb
10052	Extreme Power Drive Hammer (SDSF-2)	2 lb	5"	13.75"	C	5	10.75 lb
10065	Extreme Power Drive Hammer, 1 Steel Face (SDSF-1SG-S)	1 lb	4.5"	12.5"	SG	5	6 lb
10066	Extreme Power Drive Hammer, 1 Steel Face (SDSF-2SG-S)	2 lb	5"	13.75"	SG	5	11 lb
10063	Extreme Power Drive Hammer (SDSF-3SG)	3 lb	5.5"	14.5"	SG	2	6.3 lb
10053	Extreme Power Drive Hammer (SDSF-3)	3 lb	5.5"	14.5"	C	2	6.3 lb
10064	Extreme Power Drive Hammer (SDSF-4SG)	4 lb	5.75"	15.5"	SG	2	8.3 lb
10054	Extreme Power Drive Hammer (SDSF-4)	4 lb	5.75"	15.5"	C	2	8.3 lb
10009	Standard Power Drive Hammer (SF-8)	.5 lb	3"	11"	H	5	2.5 lb
10015	Standard Power Drive Hammer (SF-1SG)	1 lb	4.5"	12.5"	SG	5	5.75 lb
10010	Standard Power Drive Hammer (SF-1)	1 lb	4.5"	12.5"	C	5	5.75 lb
10025	Standard Power Drive Hammer (SF-2SG)	2 lb	5"	13.75"	SG	5	10.75 lb
10020	Standard Power Drive Hammer (SF-2)	2 lb	5"	13.75"	C	5	10.75 lb
10027	Standard Power Drive Hammer, 1 Steel Face (SFS-2SG)	2 lb	5"	13.75"	SG	5	12.5 lb
10022	Standard Power Drive Hammer, 1 Brass Face (SFB-2SG)	2 lb	5"	13.75"	SG	5	12.5 lb
10035	Standard Power Drive Hammer (SF-3SG)	3 lb	5.5"	14.5"	SG	2	6.3 lb
10030	Standard Power Drive Hammer (SF-3)	3 lb	5.5"	14.5"	C	2	6.3 lb
10045	Standard Power Drive Hammer (SF-4SG)	4 lb	5.75"	15.5"	SG	2	8.3 lb
10040	Standard Power Drive Hammer (SF-4)	4 lb	5.75"	15.5"	C	2	8.3 lb
10135	Strike Pro Power Drive Hammer, Yellow (STP16)	1 lb	5"	12"	C	5	6 lb
10235	Strike Pro Power Drive Hammer, Orange (STP016)	1 lb	5"	12"	C	5	6 lb
10175	Strike Pro Power Drive Hammer, Yellow (STP24)	1.5 lb	5.75"	12.25"	C	5	8.5 lb
10275	Strike Pro Power Drive Hammer, Orange (STP024)	1.5 lb	5.75"	12.25"	C	5	8.5 lb
10195	Strike Pro Power Drive Hammer, Yellow (STP40)	2.5 lb	6"	12.25"	C	5	13.5 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

DEAD BLOW HAMMERS W/ REPLACEABLE TIPS

'Quick-Change' Impax® Power Drive Dead Blow



NON-MARRING SMART HAMMER® TECHNOLOGY

- Engineered to outperform rubber or plastic face hammers
- Shot loaded composite interior cavities fully encased in a tough polymer outer jacket
- Choose the right hammer and tips for the job
- Replace only the tips when worn
- Replaceable 'Quick-Change' tips available in 8 durometric hardnesses from Super Soft to Extra Hard (Tips Sold separately - Page 9)

PART NO.	DESCRIPTION	NOMINAL WEIGHT	TIP DIAMETER	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
03306	Impax Power Drive Hammer, No Tips (SPI-106)	.75 lb	1"	11.5"	C	6	6 lb
03356	Impax Power Drive Hammer, No Tips (SPI-156)	1 lb	1.5"	12.5"	C	6	7 lb
03360	Impax Power Drive Hammer, No Tips (SPI-206)	2 lb	2"	13.5"	C	4	9 lb
04011	Impax Power Drive Hammer, No Tips (SPI-206-40)	2.5 lb	2"	14.5"	C	4	13 lb
03366	Impax Power Drive Hammer, No Tips (SPI-256SG)	4 lb	2.5"	14.5"	SG	4	17 lb
03365	Impax Power Drive Hammer, No Tips (SPI-256)	4 lb	2.5"	14.5"	C	4	17 lb
07607	Impax Power Drive Hammer, No Tips (SPI-306-SG)	5 lb	3"	14.5"	SG	2	10.5 lb
07606	Impax Power Drive Hammer, No Tips (SPI-306)	5 lb	3"	14.5"	C	2	10.5 lb
04012	Impax Power Drive Hammer, No Tips (SPI-306)	5 lb	3"	18"	C	2	10.75 lb
04001	Impax Power Drive Hammer, with Green/Yellow Tips (SPI-106)	.75 lb	1"	11.5"	C	6	6.5 lb
04002	Impax Power Drive Hammer, with Green/Black Tips (SPI-106)	.75 lb	1"	11.5"	C	6	6.5 lb
04003	Impax Power Drive Hammer, with Green/Yellow Tips (SPI-156)	1 lb	1.5"	12.5"	C	6	8.5 lb
04004	Impax Power Drive Hammer, with Green/Black Tips (SPI-156)	1 lb	1.5"	12.5"	C	6	8.5 lb
04005	Impax Power Drive Hammer, with Green/Yellow Tips (SPI-206)	2 lb	2"	13.5"	C	4	11 lb
04006	Impax Power Drive Hammer, with Green/Yellow Tips 48 oz (SPI-206-40)	2.5 lb	2"	14.5"	C	4	14 lb
04007	Impax Power Drive Hammer, with Green/Black Tips (SPI-206)	2 lb	2"	13.5"	C	4	11 lb
04008	Impax Power Drive Hammer, with Green/Black Tips (SPI-256)	4 lb	2.5"	14.5"	C	4	21 lb
04009	Impax Power Drive Hammer, with Green/Yellow Tips (SPI-306)	6.5 lb	3"	18"	C	2	14 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SOFT FACED HAMMER HOLDERS

Replaceable Tip Hammers provide a wide range of weight and tip hardness to deliver precision striking



'QUICK-CHANGE' HAMMERS

- Choose the weight of the hammer, handle length and the right grip for the job
- Replaceable tips available in seven durometric hardnesses from Super Soft to Extra Hard (Sold Separately - Page 9)

CUSHION-BLOW HAMMERS

- Unique size for specialty jobs
- Available with and without tips
- 5 replaceable tip hardnesses available (Sold Separately - Page 9)

PART NO.	DESCRIPTION	NOMINAL WEIGHT	TIP DIAMETER	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
09600	Quick-Change Hammer, No Tips (SPS-100)	6 oz	1"	11.25"	C	6	3 lb
09605	Quick-Change Hammer, No Tips (SPS-105)	9 oz	1"	11.25"	C	6	4.2 lb
09550	Quick-Change Hammer, No Tips (SPS-150)	1 lb	1.5"	12.5"	C	6	6.9 lb
09555	Quick-Change Hammer, No Tips (SPS-155)	1.25 lb	1.5"	12.5"	C	6	8.4 lb
09500	Quick-Change Hammer, No Tips (SPS-200)	1.5 lb	2"	13.75"	C	6	9.9 lb
09505	Quick-Change Hammer, No Tips (SPS-205)	2.25 lb	2"	13.75"	C	6	14.4 lb
09510	Quick-Change Hammer, No Tips (SPS-250)	2.5 lb	2.5"	15.5"	C	4	11 lb
09520	Quick-Change Hammer, No Tips (SPS-255)	4.25 lb	2.5"	15.5"	C	4	18 lb
09400	Quick-Change Hammer, No Tips (SPS-300)	4 lb	3"	15.5"	C	2	8.5 lb
09405	Quick-Change Hammer, No Tips (SPS-305)	6 lb	3"	15.5"	C	2	10.5 lb
09418	Quick-Change Hammer, No Tips (SPS-305-18)	6 lb	3"	18"	C	2	10.5 lb
09421	Quick-Change Hammer, No Tips (SPS-350-32SG)	6 lb	3"	32"	SG	2	13 lb
09375	Quick-Change Hammer, No Tips (SPS-307-32SG)	6.5 lb	3"	32"	SG	2	14 lb
11525	Cushion-Blow Hammer, No Tips (CBH-125)	12 oz	1.25"	11.75"	C	6	5 lb
11535	Cushion-Blow Hammer, No Tips (CBH-135)	16 oz	1.375"	12"	C	6	7 lb
11575	Cushion-Blow Hammer, No Tips (CBH-175)	32 oz	1.75"	15.5"	C	6	13 lb

'Quick-Change' & Cushion-Blow Hammers with Tips

09557	Quick-Change Hammer, with Red/Green Tips (SPS150M/T)	1.25 lb	1.5"	12.5"	C	6	6 lb
09503	Quick-Change Hammer, with Red/Green Tips (SPS200M/T)	2 lb	2"	13.75"	C	6	10.5 lb
09501	Quick-Change Hammer, with Red/Green Tips (SPS205M/T)	2.75 lb	2"	13.75"	C	6	15 lb
11225	Cushion-Blow Hammer, with Red/Green Tips (CBH-125M/T)	12 oz	1.25"	11.75"	C	6	6 lb
11235	Cushion-Blow Hammer, with Red/Green Tips (CBH-135M/T)	16 oz	1.375"	12"	C	6	8 lb
11275	Cushion-Blow Hammer, with Red/Green Tips (CBH-175M/T)	32 oz hi	1.75"	15.5"	C	6	14.5 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SOFT FACED REPLACEABLE TIPS

'QUICK-CHANGE' TIPS

- Choose the right tip for every job
- Sizes ranging from 1" up to 4" diameter



MEDIUM



TOUGH



EXTRA HARD



HARD

Replaceable Tips for Impax® Dead Blow & 'Quick-Change' Hammers

PART NO.	DESCRIPTION	COLOR	TIP DIAM-ETER	STD. PACK	STD. PACK WEIGHT
15101	Supersoft	Grey	1"	2	1.5 oz
15102	Soft	Brown	1"	2	1.5 oz
15103	Medium	Red	1"	2	1.5 oz
15104	Tough	Green	1"	2	1.5 oz
15106	Medium Hard	Cream	1"	2	1.5 oz
15108	Hard	Black	1"	2	1.5 oz
15109	Extra Hard	Yellow	1"	2	1.5 oz
15151	Supersoft	Grey	1.5"	2	4 oz
15152	Soft	Brown	1.5"	2	4 oz
15153	Medium	Red	1.5"	2	4 oz
15154	Tough	Green	1.5"	2	4 oz
15156	Medium Hard	Cream	1.5"	2	4 oz
15158	Hard	Black	1.5"	2	4 oz
15159	Extra Hard	Yellow	1.5"	2	4 oz
15160	Hardened Steel Face	Steel	1.5"	2	8 oz
15161	Brass Face	Brass	1.5"	2	6 oz
15201	Supersoft	Grey	2"	2	6 oz
15202	Soft	Brown	2"	2	8 oz
15203	Medium	Red	2"	2	8 oz
15204	Tough	Green	2"	2	8 oz
15206	Medium Hard	Cream	2"	2	8 oz
15208	Hard	Black	2"	2	8 oz
15209	Extra Hard	Yellow	2"	2	8 oz

PART NO.	DESCRIPTION	COLOR	TIP DIAM-ETER	STD. PACK	STD. PACK WEIGHT
15210	Hardened Steel Face	Steel	2"	2	12 oz
15211	Brass Face	Brass	2"	2	10 oz
15251	Supersoft	Grey	2.5"	2	1 lb
15252	Soft	Brown	2.5"	2	1 lb
15253	Medium	Red	2.5"	2	1 lb
15254	Tough	Green	2.5"	2	1 lb
15256	Medium Hard	Cream	2.5"	2	1 lb
15258	Hard	Black	2.5"	2	1 lb
15259	Extra Hard	Yellow	2.5"	2	1 lb
15301	Supersoft	Grey	3"	2	1.5 lb
15302	Soft	Brown	3"	2	1.5 lb
15303	Medium	Red	3"	2	1.5 lb
15304	Tough	Green	3"	2	1.5 lb
15306	Medium Hard	Cream	3"	2	1.5 lb
15308	Hard	Black	3"	2	1.5 lb
15309	Extra Hard	Yellow	3"	2	1.5 lb
15402	Soft	Brown	4"	2	2.25 lb
15403	Medium	Red	4"	2	2.25 lb
15404	Tough	Green	4"	2	2.25 lb
15406	Medium Hard	Cream	4"	2	2.25 lb
15408	Hard	Black	4"	2	2.25 lb
15409	Extra Hard	Yellow	4"	2	2.25 lb

Replaceable Tips For Cushion-Blow Hammers

PART NO.	DESCRIPTION	COLOR	TIP DIAM-ETER	STD. PACK	STD. PACK WEIGHT
15122	Soft	Brown	1.25"	1	0.75 oz
15123	Medium	Red	1.25"	1	0.75 oz
15124	Tough	Green	1.25"	1	0.75 oz
15126	Medium Hard	Cream	1.25"	1	0.75 oz
15120	Hard	Black	1.25"	1	0.75 oz
15132	Soft	Brown	1.375"	1	1 oz
15133	Medium	Red	1.375"	1	1 oz
15134	Tough	Green	1.375"	1	1 oz

PART NO.	DESCRIPTION	COLOR	TIP DIAM-ETER	STD. PACK	STD. PACK WEIGHT
15136	Medium Hard	Cream	1.375"	1	1 oz
15130	Hard	Black	1.375"	1	1 oz
15172	Soft	Brown	1.75"	1	1.4 oz
15173	Medium	Red	1.75"	1	1.4 oz
15174	Tough	Green	1.75"	1	1.4 oz
15176	Medium Hard	Cream	1.75"	1	1.4 oz
15170	Hard	Black	1.75"	1	1.4 oz

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SOFT FACED HAMMER SETS

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



IMPAX® DEAD BLOW HAMMER & TIPS WITH CARRYING CASE



'QUICK-CHANGE' HAMMER & TIPS WITH CARRYING CASE

PART NO.	DESCRIPTION	NOMINAL WEIGHT	TIP DIAMETER	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
02358	Impax Power Drive Dead Blow Hammer (SPI-156-S8) with Carrying Case & 8 Tips: Super Soft, Soft, Medium, Tough, Medium-Hard, Hard, Extra-Hard, Steel	1 lb	1.5"	12.5"	C	1	3.25 lb
02550	Quick-Change Hammer (SPS-150-S6) with Carrying Case & 6 Tips: Soft, Medium, Medium-Hard, Hard, Extra-Hard, Steel	1 lb	1.5"	12.5"	C	1	2.5 lb
02552	Quick-Change Hammer (SPS-150-S8) with Carrying Case & 8 Tips: Super Soft, Soft, Medium, Tough, Medium-Hard, Hard, Extra-Hard, Steel	1 lb	1.5"	12.5"	C	1	2.75 lb
02555	Quick-Change Hammer (SPS-155-S6) with Carrying Case & 6 Tips: Soft, Medium, Medium-Hard, Hard, Extra-Hard, Steel	1.25 lb	1.5"	12.5"	C	1	2.75 lb
02558	Quick-Change Hammer (SPS-155-S8) with Carrying Case & 8 Tips: Super Soft, Soft, Medium, Tough, Medium-Hard, Hard, Extra-Hard, Steel	1.25 lb	1.5"	12.5"	C	1	3 lb



'QUICK-CHANGE' HAMMER & TIPS

- 1 lb hammer with 4 replaceable tips
- Retail package

PART NO.	DESCRIPTION	NOMINAL WEIGHT	TIP DIAMETER	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
02549	Quick-Change Hammer with 4 Tips: Soft, Medium, Hard, Extra-Hard (Clam Shell Pack)	1 lb	1.5"	12.5"	C	4	2.5 lb

NON-SPARKING HAMMERS



BRASS HAMMERS

- Heavy non-spark striking face with soft impact
- Malleable brass material will not fracture or shear when striking hard surfaces
- Perfect for working in volatile environments, automotive services, metal working and MRO

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
30015	Classic Nuplaglas Brass Hammer (BRS1.5)	1.5 lb	12"	SG	5	8.75 lb
30025	Classic Nuplaglas Brass Hammer (BRS2.5)	2.5 lb	12"	SG	2	5.5 lb
30040	Classic Nuplaglas Brass Hammer (BRS4)	4 lb	12"	SG	2	8.3 lb
30515	Ergo-Power Brass Hammer (BRS1.5-ESG)	1.5 lb	12"	SG	5	10.5 lb
30525	Ergo-Power Brass Hammer (BRS2.5-ESG)	2.5 lb	12"	SG	2	6.5 lb
30540	Ergo-Power Brass Hammer (BRS4-ESG)	4 lb	12"	SG	2	9.5 lb
30060	Classic Nuplaglas Brass Sledge Hammer (BRS6-18)	6 lb	18"	SG	2	13 lb
30061	Classic Nuplaglas Brass Sledge Hammer (BRS6-24)	6 lb	24"	SG	2	13.25 lb
30062	Classic Nuplaglas Brass Sledge Hammer (BRS6-28)	6 lb	28"	SG	2	13.55 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

NON-SPARKING HAMMERS

STRIKING



STANDARD POWER DRIVE®

- Non-sparking, shot-loaded composite interior cavities fully encased in a tough polymer outer jacket
- Free flowing inner shot concentrates striking power and increases driving force
- Non-marring face protects surface being struck



STRIKE PRO® POWER DRIVE®

- All the features of the Non-Sparking Power Drive in a lighter, more economical configuration

AXES

DIGGING

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HEAD LENGTH	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
10016	Standard Power Drive Hammer (SFN-1SG)	1 lb	4.5"	12.5"	SG	5	5.75 lb
10026	Standard Power Drive Hammer (SFN-2SG)	2 lb	5"	13.75"	SG	5	12.5 lb
10036	Standard Power Drive Hammer (SFN-3SG)	3 lb	5.5"	14.5"	SG	2	6.3 lb
10046	Standard Power Drive Hammer (SFN-4SG)	4 lb	5.75"	15.5"	SG	2	8.3 lb
10140	Strike Pro Power Drive Hammer, Natural (STPN16)	1 lb	5"	12"	C	5	6 lb
10180	Strike Pro Power Drive Hammer, Natural (STPN24)	1.5 lb	5"	12"	C	5	6 lb

MAINTENANCE



'QUICK-CHANGE' HAMMER HOLDERS

- Choose the ideal weight of the hammer and handle length for your non-sparking applications
- Replaceable Non-Sparking tips available in 8 durometric hardnesses from Super Soft to Extra Hard (Sold Separately - Page 13)
- All hammer/tip connections are manufactured with solid brass to meet non-sparking requirements

WARNING: Always pair Non-Sparking Hammer Holders with Non-Sparking Tips

FORESTRY

PART NO.	DESCRIPTION	NOMINAL WEIGHT	TIP DIAMETER	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
9606	Quick-Change Hammer, No Tips (SPS-105N)	9 oz	1"	11.25"	C	6	4.2 lb
9551	Quick-Change Hammer, No Tips (SPS-150N)	1 lb	1.5"	12.5"	C	6	6.9 lb
9554	Quick-Change Hammer, No Tips (SPS-155N)	1.25 lb	1.5"	12.5"	C	6	8.4 lb

FIRE



RUBBER MALLET

- Non-sparking
- White head mallet will not mark or smudge surfaces even after prolonged use

HANDLES

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
13115	Premium White Rubber Mallet, Non-Marking (WRM1)	1 lb	12.625"	H	5	5.45 lb
13110	Classic Nuplaglas Rubber Mallet (RM1)	1 lb	12.625"	H	5	5.75 lb
13120	Classic Nuplaglas Rubber Mallet (RM2)	2 lb	16"	H	5	10.75 lb

NON-SPARKING TIPS & HAMMER SETS

'QUICK-CHANGE' TIPS

- Choose the right Non-Sparking tip for every job
- Non-sparking tips and hammers have brass fittings
- Sizes ranging from 1" up to 4" diameter



MEDIUM



TOUGH



EXTRA HARD



HARD

WARNING: Always pair Non-Sparking Hammer Holders with Non-Sparking Tips

For Impax® Dead Blow & 'Quick-Change' Non-Sparking Hammers

PART NO.	DESCRIPTION	COLOR	TIP DIAM-ETER	STD. PACK	STD. PACK WEIGHT	PART NO.	DESCRIPTION	COLOR	TIP DIAM-ETER	STD. PACK	STD. PACK WEIGHT
15091	Supersoft	Grey	1"	2	1.5 oz	15194	Tough	Green	2"	2	8 oz
15092	Soft	Brown	1"	2	1.5 oz	15196	Medium Hard	Cream	2"	2	8 oz
15093	Medium	Red	1"	2	1.5 oz	15198	Hard	Black	2"	2	8 oz
15094	Tough	Green	1"	2	1.5 oz	15199	Extra Hard	Yellow	2"	2	8 oz
15096	Medium Hard	Cream	1"	2	1.5 oz	15212	Brass Face	Brass	2"	2	10 oz
15098	Hard	Black	1"	2	1.5 oz	15241	Supersoft	Grey	2.5"	2	1 lb
15099	Extra Hard	Yellow	1"	2	1.5 oz	15242	Soft	Brown	2.5"	2	1 lb
15140	Supersoft	Grey	1.5"	2	4 oz	15243	Medium	Red	2.5"	2	1 lb
15141	Soft	Brown	1.5"	2	4 oz	15244	Tough	Green	2.5"	2	1 lb
15142	Medium	Red	1.5"	2	4 oz	15246	Medium Hard	Cream	2.5"	2	1 lb
15143	Tough	Green	1.5"	2	4 oz	15248	Hard	Black	2.5"	2	1 lb
15144	Medium Hard	Cream	1.5"	2	4 oz	15291	Supersoft	Grey	3"	2	1.5 lb
15147	Hard	Black	1.5"	2	4 oz	15293	Medium	Red	3"	2	1.5 lb
15150	Extra Hard	Yellow	1.5"	2	4 oz	15294	Tough	Green	3"	2	1.5 lb
15163	Brass Face	Brass	1.5"	2	6 oz	15296	Medium Hard	Cream	3"	2	1.5 lb
15192	Soft	Brown	2"	2	8 oz	15298	Hard	Black	3"	2	1.5 lb
15193	Medium	Red	2"	2	8 oz	15299	Extra Hard	Yellow	3"	2	1.5 lb

NON-SPARKING 'QUICK-CHANGE' HAMMER & TIPS WITH CARRYING CASE



PART NO.	DESCRIPTION	NOMINAL WEIGHT	TIP DIAM-ETER	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
02553	Quick-Change Hammer (SPS-150-S8) with Carrying Case & 8 Tips: Super Soft, Soft, Medium, Tough, Medium-Hard, Hard, Extra-Hard, Brass	1 lb	1.5"	12.5"	C	1	2.75 lb
02556	Quick-Change Hammer (SPS-155-S8) with Carrying Case & 8 Tips: Super Soft, Soft, Medium, Tough, Medium-Hard, Hard, Extra-Hard, Brass	1.25 lb	1.5"	12.5"	C	1	3 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

STEEL HAMMERS

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



CLASSIC BALL PEIN



ERGO BALL PEIN



CLASSIC CLAW



CLASSIC RIPPING



BALL PEIN SET

CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- All Classic Nuplaglas Handled tools carry a Nupla Lifetime Warranty
- Carbon steel heads are precision forged and heat treated

ERGO-POWER® HANDLES

- Protective covering injection molded over a Classic Nuplaglas handle
- Protects fiberglass from overstrikes and extends the life of the handle
- Precision forged and heat treated high carbon steel heads

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
21004	Classic Nuplaglas Ball Pein Hammer (M-4)	4 oz	11"	H	6	3 lb
21008	Classic Nuplaglas Ball Pein Hammer (M-8)	8 oz	11"	H	6	4.5 lb
21012	Classic Nuplaglas Ball Pein Hammer (M-12)	12 oz	12"	H	6	6 lb
21016	Classic Nuplaglas Ball Pein Hammer (M-16)	16 oz	13"	H	6	7.5 lb
21020	Classic Nuplaglas Ball Pein Hammer (M-20)	20 oz	13"	H	6	9 lb
21024	Classic Nuplaglas Ball Pein Hammer (M-24)	24 oz	14"	H	6	10.5 lb
21032	Classic Nuplaglas Ball Pein Hammer (M-32)	32 oz	14"	H	6	13.5 lb
21040	Classic Nuplaglas Ball Pein Hammer (M-40)	40 oz	16"	H	4	11 lb
21048	Classic Nuplaglas Ball Pein Hammer (M-48)	48 oz	16"	CS	4	13 lb
05064	Classic Nuplaglas Ball Pein Set with 8, 12, 16, 24 oz Hammers & Carrying Case				1	10.58 lb
21516	Ergo-Power Ball Pein Hammer (M16-ESG)	16 oz	14"	SG	6	9.5 lb
21520	Ergo-Power Ball Pein Hammer (M20-ESG)	20 oz	14"	SG	6	11 lb
21524	Ergo-Power Ball Pein Hammer (M24-ESG)	24 oz	14"	SG	6	12.5 lb
21532	Ergo-Power Ball Pein Hammer (M32-ESG)	32 oz	14"	SG	6	15 lb
21540	Ergo-Power Ball Pein Hammer (M40-ESG)	40 oz	16"	SG	4	12.5 lb
21548	Ergo-Power Ball Pein Hammer (M48-ESG)	48 oz	16"	SG	4	14.5 lb
17016	Classic Nuplaglas Claw Hammer (C-16)	16 oz	13"	H	6	7.5 lb
17020	Classic Nuplaglas Claw Hammer (C-20)	20 oz	14"	H	6	9 lb
19020	Classic Nuplaglas Ripping Hammer (R-20)	20 oz	14"	H	6	9 lb
19022	Classic Nuplaglas Ripping Hammer (R-22)	22 oz	16"	H	6	9.6 lb

STEEL HAMMERS

Industrial Specialty Hammers: Hand Drilling - Cross Pein - Prospector Picks



CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
28025	Classic Nuplaglas Hand Drilling Hammer (HD-2SG)	2 lb	10"	SG	2	4.5 lb
28035	Classic Nuplaglas Hand Drilling Hammer (HD-3SG)	3 lb	10"	SG	2	6.5 lb
28045	Classic Nuplaglas Hand Drilling Hammer (HD-4SG)	4 lb	10"	SG	2	8.5 lb
28525	Ergo-Power Hand Drilling Hammer (HD2-ESG)	2 lb	10"	SG	2	5.5 lb
28535	Ergo-Power Hand Drilling Hammer (HD3-ESG)	3 lb	10"	SG	2	7.5 lb
28545	Ergo-Power Hand Drilling Hammer (HD4-ESG)	4 lb	10"	SG	2	9.5 lb
29035	Classic Nuplaglas Cross Pein Hammer (BC-3SG)	3 lb	14"	SG	2	6.5 lb
29045	Classic Nuplaglas Cross Pein Hammer (BC-4SG)	4 lb	14"	SG	2	8.5 lb
29135	Ergo-Power Cross Pein Hammer (BC3-ESG)	3 lb	14"	SG	2	7.5 lb
29145	Ergo-Power Cross Pein Hammer (BC4-ESG)	4 lb	14"	SG	2	9.5 lb
70240	Classic Nuplaglas Prospectors Pick (PP-24)	24 oz	12"	C	2	5.5 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SLEDGE HAMMERS

Widest Selection of Head Weight to Handle Length Combinations of any Tool Manufacturer

STRIKING

ERGO-POWER® HANDLES

- Protective covering injection molded over a Classic Nuplaglas handle
- Protects fiberglass from overstrikes and extends the life of the handle
- Industrial grade heads

AXES

DIGGING

MAINTENANCE



CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- All Classic Nuplaglas Handled tools carry a Nupla Lifetime Warranty
- Industrial grade heads

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
27520	Ergo-Power Sledge Hammer (BD2-ESG)	2 lb	14"	SG	2	5.5 lb
27530	Ergo-Power Sledge Hammer (BD3-ESG)	3 lb	14"	SG	2	7.5 lb
27630	Ergo-Power Sledge Hammer (BD3-ECS)	3 lb	14"	CS	2	7.5 lb
27540	Ergo-Power Sledge Hammer (BD4-ESG)	4 lb	14"	SG	2	9.5 lb
27640	Ergo-Power Sledge Hammer (BD4-ECS)	4 lb	14"	CS	2	9.5 lb
27806	Ergo-Power Sledge Hammer (BD-6ESG)	6 lb	32"	SG	2	16.5 lb
27706	Ergo-Power Sledge Hammer (BD-6ECS)	6 lb	32"	CS	2	16.5 lb
27808	Ergo-Power Sledge Hammer (BD-8ESG)	8 lb	32"	SG	2	20 lb
27708	Ergo-Power Sledge Hammer (BD-8ECS)	8 lb	32"	CS	2	20 lb
27810	Ergo-Power Sledge Hammer (BD-10ESG)	10 lb	32"	SG	2	24.5 lb
27710	Ergo-Power Sledge Hammer (BD-10ECS)	10 lb	32"	CS	2	24.5 lb
27812	Ergo-Power Sledge Hammer (BD-12ESG)	12 lb	32"	SG	2	28.4 lb
27712	Ergo-Power Sledge Hammer (BD-12ECS)	12 lb	32"	CS	2	28.4 lb
27816	Ergo-Power Sledge Hammer (BD-16ESG)	16 lb	32"	SG	2	36.5 lb
27818	Ergo-Power Sledge Hammer (BD-16LESG)	16 lb	36"	SG	2	36.5 lb
27820	Ergo-Power Sledge Hammer (BD20-ESG)	20 lb	32"	SG	2	44.5 lb
27822	Ergo-Power Sledge Hammer (BD-20LECS)	20 lb	36"	SG	2	44.5 lb
27805	Ergo-Power Slugging Hammer (BD6-E16SG)	6 lb	16"	SG	2	13.75 lb
27804	Ergo-Power Slugging Hammer (BD8-E16SG)	8 lb	16"	SG	2	17.25 lb
27092	Ergo-Power Slugging Hammer (BD10-E16SG)	10 lb	16"	SG	2	21.5 lb

CLASSIC NUPLA SLEDGE HAMMERS

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT	
27020	Classic Nuplaglas Sledge Hammer (BD-2)	2 lb	14"	CS	2	4.5 lb	STRIKING
27021	Classic Nuplaglas Sledge Hammer (BD-2SG)	2 lb	14"	SG	2	4.5 lb	
27023	Classic Nuplaglas Sledge Hammer (BD-2-15)	2 lb	15"	CS	2	4.75 lb	
27030	Classic Nuplaglas Sledge Hammer (BD-3)	3 lb	14"	CS	2	6.5 lb	
27035	Classic Nuplaglas Sledge Hammer (BD-3SG)	3 lb	14"	SG	2	6.5 lb	
27045	Classic Nuplaglas Sledge Hammer (BD-4SG)	4 lb	14"	SG	2	8.5 lb	
27040	Classic Nuplaglas Sledge Hammer (BD-4)	4 lb	14"	CS	2	8.5 lb	AXES
27043	Classic Nuplaglas Sledge Hammer (BD-4-15)	4 lb	15"	CS	2	8.5 lb	
27046	Classic Nuplaglas Sledge Hammer (BD-4-16)	4 lb	16"	CS	2	8.5 lb	
27062	Classic Nuplaglas Sledge Hammer (BD-6-14)	6 lb	14"	CS	2	13.15 lb	
27036	Classic Nuplaglas Sledge Hammer (BD-6-16)	6 lb	16"	CS	2	13.15 lb	
27047	Classic Nuplaglas Sledge Hammer (BD-6-16SG)	6 lb	16"	SG	2	13.15 lb	
27072	Classic Nuplaglas Sledge Hammer (BD-6-18SG)	6 lb	18"	SG	2	13.3 lb	DIGGING
27069	Classic Nuplaglas Sledge Hammer (BD-6-24)	6 lb	24"	CS	2	13.35 lb	
27071	Classic Nuplaglas Sledge Hammer (BD-6-24SG)	6 lb	24"	SG	2	13.35 lb	
27060	Classic Nuplaglas Sledge Hammer (BD-6-32)	6 lb	32"	CS	2	13.5 lb	
27081	Classic Nuplaglas Sledge Hammer (BD-6SG)	6 lb	32"	SG	2	13.5 lb	
27082	Classic Nuplaglas Sledge Hammer (BD-8-14)	8 lb	14"	CS	2	17.15 lb	
27073	Classic Nuplaglas Sledge Hammer (BD-8-14SG)	8 lb	14"	SG	2	17.15 lb	MAINTENANCE
27085	Classic Nuplaglas Sledge Hammer (BD-8-15)	8 lb	15"	CS	2	17.15 lb	
27086	Classic Nuplaglas Sledge Hammer (BD-8-16)	8 lb	16"	CS	2	17.15 lb	
27087	Classic Nuplaglas Sledge Hammer (BD-8-16SG)	8 lb	16"	SG	2	17.15 lb	
27088	Classic Nuplaglas Sledge Hammer (BD-8-18)	8 lb	18"	CS	2	17.3 lb	
27083	Classic Nuplaglas Sledge Hammer (BD-8-24SG)	8 lb	24"	SG	2	17.35 lb	
27084	Classic Nuplaglas Sledge Hammer (BD-8-24)	8 lb	24"	CS	2	17.35 lb	FORESTRY
27091	Classic Nuplaglas Sledge Hammer (BD-8-32SG)	8 lb	32"	SG	2	17.5 lb	
27080	Classic Nuplaglas Sledge Hammer (BD-8-32)	8 lb	32"	CS	2	17.5 lb	
27089	Classic Nuplaglas Sledge Hammer (BD-8-36)	8 lb	36"	CS	2	17.6 lb	
27075	Classic Nuplaglas Sledge Hammer (BD-8-36SG)	8 lb	36"	SG	2	17.6 lb	
27108	Classic Nuplaglas Sledge Hammer (BD-10-18)	10 lb	18"	CS	2	21.3 lb	
27104	Classic Nuplaglas Sledge Hammer (BD-10-24)	10 lb	24"	CS	2	21.35 lb	FIRE
27101	Classic Nuplaglas Sledge Hammer (BD-10-32SG)	10 lb	32"	SG	2	21.5 lb	
27100	Classic Nuplaglas Sledge Hammer (BD-10-32)	10 lb	32"	CS	2	21.5 lb	
27110	Classic Nuplaglas Sledge Hammer (BD-10-32SG IAF)	10 lb	32"	Dbl. SG	2	21.45 lb	
27109	Classic Nuplaglas Sledge Hammer (BD-10-36)	10 lb	36"	CS	2	21.55 lb	
27102	Classic Nuplaglas Sledge Hammer (BD-10-36SG)	10 lb	36"	SG	2	21.55 lb	
27126	Classic Nuplaglas Sledge Hammer (BD-12-16SG)	12 lb	16"	SG	2	25.15 lb	HANDLES
27124	Classic Nuplaglas Sledge Hammer (BD-12-24)	12 lb	24"	CS	2	25.25 lb	
27120	Classic Nuplaglas Sledge Hammer (BD-12-32)	12 lb	32"	CS	2	25.4 lb	
27121	Classic Nuplaglas Sledge Hammer (BD-12-32SG)	12 lb	32"	SG	2	25.4 lb	
27122	Classic Nuplaglas Sledge Hammer (BD-12-36)	12 lb	36"	CS	2	25.45 lb	
27123	Classic Nuplaglas Sledge Hammer (BD-12-36SG)	12 lb	36"	SG	2	25.45 lb	
27167	Classic Nuplaglas Sledge Hammer (BD-16-16SG)	16 lb	16"	SG	2	33.25 lb	
27160	Classic Nuplaglas Sledge Hammer (BD-16-32)	16 lb	32"	CS	2	33.5 lb	
27161	Classic Nuplaglas Sledge Hammer (BD-16-32SG)	16 lb	32"	SG	2	33.5 lb	
27162	Classic Nuplaglas Sledge Hammer (BD-16-36)	16 lb	36"	CS	2	33.55 lb	
27169	Classic Nuplaglas Sledge Hammer (BD-16-36SG)	16 lb	36"	SG	2	33.55 lb	
27200	Classic Nuplaglas Sledge Hammer (BD-20-36)	20 lb	36"	CS	2	41.5 lb	
27201	Classic Nuplaglas Sledge Hammer (BD-20-36SG)	20 lb	36"	SG	2	41.5 lb	

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SLEDGE HAMMERS

Ergo-Power® Soft Safety Steel

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY



- Soft safety steel sledges with Ergo-Power handle
- Maximum 30 Rockwell C heads will not shear when striking harder steel
- Black SG Ergo Handles
- Blue heads marked 'S' for soft and quick identification on job site

FIRE

HANDLES

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
26500	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-2-14)	2 lb	14"	SG	2	5.5 lb
26501	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-3-14)	3 lb	14"	SG	2	7.5 lb
26502	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-4-14)	4 lb	14"	SG	2	9.5 lb
26503	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-6-32)	6 lb	32"	SG	2	16 lb
26504	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-8-32)	8 lb	32"	SG	2	20 lb
26505	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-10-32)	10 lb	32"	SG	2	24 lb
26506	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-12-32)	12 lb	32"	SG	2	28 lb
26507	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-16-32)	16 lb	32"	SG	2	36 lb
26508	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-20-32)	20 lb	32"	SG	2	44.5 lb
26510	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-6-ESG-S)	6 lb	16"	SG	2	15.5 lb
26511	Ergo-Power Soft Safety Steel Sledge Hammer (BDS-8-ESG-S)	8 lb	16"	SG	2	19 lb

AXES, MAULS, PICKS & MATTOCKS

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

**ERGO-POWER®
HANDLES**



**SINGLE BIT
AXE**



**DOUBLE BIT
AXE**



**SPLITTING
MAUL**




**PICK
MATTOCK**



**CUTTER
MATTOCK**



**DOUBLE EDGE
BUSH HOOK**



**SINGLE EDGE
BUSH HOOK**

**CLASSIC
NUPLAGLAS®
HANDLES**

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
22400	Ergo-Power Michigan Double Bit Axe (DB3.5ESG)	3.5 lb	32"	SG	2	8.5 lb
22401	Ergo-Power Michigan Double Bit Axe (DB3.5LESG)	3.5 lb	36"	SG	2	8.75 lb
22410	Ergo-Power Michigan Single Bit Axe (NSB3.5ESG)	3.5 lb	32"	SG	2	8.5 lb
See Fire Tools for additional Axes (Page 41)						
22211	Classic Campers Utility Axe	3.7 lb	16"	SB	2	7.6 lb
22806	Ergo-Power Splitting Maul (SM-6-ESG)	6 lb	32"	SG	2	16.5 lb
22808	Ergo-Power Splitting Maul (SM-8-ESG)	8 lb	32"	SG	2	22.5 lb
24340	Splitting Wedge (SHW-4)	4 lb	-	-	5	20.75 lb
24551	Ergo-Power Cutter Mattock (CM-5H-ESG)	5 lb	36"	SG	1	7.7 lb
24552	Ergo-Power Pick Mattock (PM-5H-ESG)	5 lb	36"	SG	1	7.7 lb
24553	Ergo-Power Railroad Pick (RP-5H-ESG)	5 lb	36"	SG	1	7.7 lb
24554	Ergo-Power Railroad Pick (RP-6H-ESG)	6 lb	36"	SG	1	9 lb
24150	Pick Mattock Head (PM-5)	5 lb	-	-	1	5.5 lb
24260	Railroad Pick Head (RP-6)	6 lb	-	-	1	6.5 lb
72940	Ergo-Power Bush Hook, Double Edge (BHD-10E)	3 lb	36"	SG	2	11.3 lb
33140	Bush Hook, Double Edge (BHD-10)	3 lb	36"	DB	2	9 lb
33145	Bush Hook, Single Edge (BHS-32)	3 lb	36"	SB	2	9 lb

ROUND POINT SHOVELS

Stronger than wood - Built to last

STRIKING

SOLID HYDRAULIC DESIGN

- All Nuplaglas handles feature a polystyrene core construction with sections of solid fiberglass at critical stress points for superior strength-to-weight ratio



AXES

ERGO-POWER® HANDLES

- Mold injected protective covering over a Classic Nuplaglas handle
- Made in USA, Lifetime Warranty
- Industrial grade steel blades

DIGGING



CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- Made in USA, Lifetime Warranty
- Industrial grade steel blades

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	GAUGE	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72014	Ergo-Power #0 Round Point Shovel (RP-0-L-E)	16	7.5" x 10"	Hollow Back	48"	Ergo	6	12 lb
72016	Ergo-Power #2 Round Point Shovel (RP2L-E)	16	9" x 11.5"	Hollow Back	48"	Ergo	6	27.51 lb
72017	Ergo-Power #2 Round Point Shovel (RP2D-E)	16	9" x 11.5"	Hollow Back	27"	D	3	10.91 lb
72065	Ergo-Power #2 Round Point Shovel (CBR2L-E)	16	9" x 11.5"	Closed Back	48"	Ergo	6	31.16 lb
72066	Ergo-Power #2 Round Point Shovel (CBR2D-E)	16	9" x 11.5"	Closed Back	27"	D	3	11.7 lb
72766	Ergo-Power #2 Round Point Shovel (CBR2D-30E)	16	9" x 11.5"	Closed Back	30"	D	3	13.5 lb
72067	Ergo-Power #2 Round Point Shovel (CBR14L-E)	14	9" x 11.5"	Closed Back, HD	48"	Ergo	6	32.5 lb
72061	Ergo-Power #2 Round Point Shovel (RP14L-E)	14	9" x 11.5"	Heavy Gauge	48"	Ergo	6	33 lb
72062	Ergo-Power #2 Round Point Shovel (RP14D-E)	14	9" x 11.5"	Heavy Gauge	27"	D	3	14 lb
72762	Ergo-Power #2 Round Point Shovel (RP14D-30E)	14	9" x 11.5"	Heavy Gauge	30"	D	3	14.5 lb
69150	Classic Nuplaglas #0 Round Point Shovel (RP-0-L)	16	7.5" x 10.5"	Hollow Back	48"	B	6	12 lb
69048	Classic Nuplaglas #2 Round Point Shovel (RP2L)	16	9" x 11.5"	Hollow Back	48"	B	6	26.45 lb
69027	Classic Nuplaglas #2 Round Point Shovel (RP2D)	16	9" x 11.5"	Hollow Back	27"	D	3	13 lb
69648	Classic Nuplaglas #2 Round Point Shovel (CBR2L)	16	9" x 11.5"	Closed Back	48"	B	6	31 lb
69627	Classic Nuplaglas #2 Round Point Shovel (CBR2D)	16	9" x 11.5"	Closed Back	27"	D	3	12.5 lb
69620	Classic Nuplaglas #2 Round Point Shovel (CBR14L)	14	9" x 11.5"	Closed Back, HD	48"	B	6	32.5 lb
69621	Classic Nuplaglas #2 Round Point Shovel (CBR14D)	14	9" x 11.5"	Closed Back, HD	27"	D	3	13.75 lb
69625	Classic Nuplaglas #2 Round Point Shovel (CBR14D30)	16	9" x 11.5"	Closed Back	30"	D	3	15 lb
69248	Classic Nuplaglas #2 Round Point Shovel (RP14L)	14	9" x 11.5"	Heavy Gauge	48"	B	6	33 lb
69227	Classic Nuplaglas #2 Round Point Shovel (RP14D)	14	9" x 11.5"	Heavy Gauge	27"	D	3	14 lb
69230	Classic Nuplaglas #2 Round Point Shovel (RP14D-30)	14	9" x 11.5"	Heavy Gauge	30"	D	3	14.5 lb

SQUARE POINT SHOVELS

Stronger than wood - Built to last

INDUSTRIAL GRADE STEEL BLADES

- Available in Heavy Gauge and Closed Back

ERGO-POWER® HANDLES

- Mold injected protective covering over a Classic Nuplaglas handle
- Made in USA, Lifetime Warranty



CLASSIC NUPLAGLAS® HANDLES

- Super-duty handle made tough from thousands of fiberglass strands encased in a proprietary resin
- Made in USA, Lifetime Warranty

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	GAUGE	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72071	Ergo-Power #2 Square Point Shovel (SP2L-E)	16	9.875" x 11.5"	Hollow Back	48"	Ergo	6	33 lb
72072	Ergo-Power #2 Square Point Shovel (SP2D-E)	16	9.875" x 11.5"	Hollow Back	27"	D	3	14 lb
72772	Ergo-Power #2 Square Point Shovel (SP2D-30E)	16	9.875" x 11.5"	Hollow Back	30"	D	3	14.5 lb
72079	Ergo-Power #2 Square Point Shovel (CBS2L-E)	16	9.875" x 11.5"	Closed Back	48"	Ergo	6	35 lb
72080	Ergo-Power #2 Square Point Shovel (CBS2D-E)	16	9.875" x 11.5"	Closed Back	27"	D	3	15 lb
72780	Ergo-Power #2 Square Point Shovel (CBS2D-30E)	16	9.875" x 11.5"	Closed Back	30"	D	3	16 lb
72083	Ergo-Power #2 Square Point Shovel (CBS14L-E)	14	9.875" x 11.5"	Closed Back, HD	48"	Ergo	6	32.5 lb
72075	Ergo-Power #2 Square Point Shovel (SP14L-E)	14	9.875" x 11.5"	Heavy Gauge	48"	Ergo	6	35 lb
72076	Ergo-Power #2 Square Point Shovel (SP14D-E)	14	9.875" x 11.5"	Heavy Gauge	27"	D	3	15 lb
72776	Ergo-Power #2 Square Point Shovel (SP14D-30E)	14	9.875" x 11.5"	Heavy Gauge	30"	D	3	16 lb
69148	Classic Nuplaglas #2 Square Point Shovel (SP2L)	16	9.875" x 11.5"	Hollow Back	48"	B	6	33 lb
69127	Classic Nuplaglas #2 Square Point Shovel (SP2D)	16	9.875" x 11.5"	Hollow Back	27"	D	3	14 lb
69249	Classic Nuplaglas #2 Square Point Shovel (SP14L)	14	9.875" x 11.5"	Heavy Gauge	48"	B	6	35 lb
69250	Classic Nuplaglas #2 Square Point Shovel (SP14D)	14	9.875" x 11.5"	Heavy Gauge	27"	D	3	15 lb

DRAIN & GARDEN SPADES

Stronger than wood - Built to last

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES




PART NO.	DESCRIPTION	GAUGE	BLADE DIMEN- SION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72091	Ergo-Power Drain Spade (SS14L-E)	16	4.75" x 14"	Hollow Back	48"	Ergo	6	34 lb
72092	Ergo-Power Drain Spade (SS14D-E)	16	4.75" x 14"	Hollow Back	27"	D	3	14.5 lb
72095	Ergo-Power Drain Spade (SS16L-E)	16	4.75" x 16"	Hollow Back	48"	Ergo	6	36 lb
72096	Ergo-Power Drain Spade (SS16D-E)	16	4.75" x 16"	Hollow Back	27"	D	3	15.5 lb
72099	Ergo-Power Drain Spade (SSDS14L-E)	14	5.5" x 14"	Solid Shank	48"	Ergo	6	36 lb
72100	Ergo-Power Drain Spade (SSDS14D-E)	14	5.5" x 14"	Solid Shank	27"	D	3	15.5 lb
72103	Ergo-Power Drain Spade (SSDS16L-E)	14	5.5" x 16"	Solid Shank	48"	Ergo	6	38 lb
72104	Ergo-Power Drain Spade (SSDS16D-E)	14	5.5" x 16"	Solid Shank	27"	D	3	16.5 lb
69275	Classic Nuplaglas Drain Spade (SS14L)	16	4.75" x 14"	Hollow Back	48"	B	6	34 lb
69274	Classic Nuplaglas Drain Spade (SS14D)	16	4.75" x 14"	Hollow Back	27"	D	3	14.5 lb
69277	Classic Nuplaglas Drain Spade (SS16L)	16	4.75" x 16"	Hollow Back	48"	B	6	36 lb
69278	Classic Nuplaglas Drain Spade (SS16L-60)	16	4.75" x 16"	Hollow Back	60"	B	6	38 lb
69279	Classic Nuplaglas Drain Spade (SS16L-120)	16	4.75" x 16"	Hollow Back	120"	B	6	47 lb
69276	Classic Nuplaglas Drain Spade (SS16D)	16	4.75" x 16"	Hollow Back	27"	D	3	15.5 lb
69819	Classic Nuplaglas Drain Spade (SSDS14L)	14	5.5" x 14"	Solid Shank	48"	B	6	36 lb
69813	Classic Nuplaglas Drain Spade (SSDS16L)	14	5.5" x 16"	Solid Shank	48"	B	6	38 lb
69814	Classic Nuplaglas Drain Spade (SSDS16D)	14	5.5" x 16"	Solid Shank	27"	D	3	16.5 lb
69323	Classic Nuplaglas Sewer Spade (TS5D)	14	5" x 12"	Hollow Back	20"	D	3	10 lb
72107	Ergo-Power Garden Spade (GS2L-E)	14	7.5" x 11.5"	Hollow Back	48"	Ergo	6	33 lb
72108	Ergo-Power Garden Spade (GS2D-E)	14	7.5" x 11.5"	Hollow Back	27"	D	3	14 lb
69348	Classic Nuplaglas Garden Spade (GS2L)	14	7.5" x 11.5"	Hollow Back	48"	B	6	33 lb
69327	Classic Nuplaglas Garden Spade (GS2D)	14	7.5" x 11.5"	Hollow Back	27"	D	3	14 lb

TRENCHING SHOVELS

Stronger than wood - Built to last

ERGO-POWER® HANDLES
BLADES AVAILABLE IN
3"-4"-5"-6" WIDTHS



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	GAUGE	BLADE DIMEN- SION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72310	Ergo-Power Trenching Shovel - Blue Blade (TS-V3-E)	14	3" x 12"	V-Type	48"	Ergo	6	21 lb
72311	Ergo-Power Trenching Shovel - Orange Blade (TS-V4-E)	14	4" x 12"	V-Type	48"	Ergo	6	23 lb
72312	Ergo-Power Trenching Shovel - Red Blade (TS-V5-E)	14	5" x 12"	V-Type	48"	Ergo	6	25 lb
72313	Ergo-Power Trenching Shovel - Green Blade (TS-V6-E)	14	6" x 12"	V-Type	48"	Ergo	6	27 lb
72211	Ergo-Power Trenching Shovel (TS-4-E)	16	4" x 12"	Curved	48"	Ergo	6	23 lb
72212	Ergo-Power Trenching Shovel (TS-5-E)	16	5" x 12"	Curved	48"	Ergo	6	25 lb
72213	Ergo-Power Trenching Shovel (TS-6-E)	16	6" x 12"	Curved	48"	Ergo	6	27 lb

POWER PYLON® SHOVELS

POWER PYLON® BLADES

- Outperforms solid shank shovels
- Reinforced composite Power Pylon connection bolts directly to the blade, replacing the shovel socket, shank and rivet
- Closed back design
- Available in Nuplaglas® Ergo-Power® handles



CROSS-SECTION OF POWER PYLON SHANK



ROUND POINT

SQUARE POINT

DRAIN SPADE

PART NO.	DESCRIPTION	GAUGE	BLADE DIMEN- SION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72245	Ergo-Power Round Point Shovel	HD14	9" x 11.5"	Solid Back	48"	Ergo	3	14 lb
72225	Ergo-Power Round Point Shovel	HD14	9" x 11.5"	Solid Back	27"	D	3	14 lb
72145	Ergo-Power Square Point Shovel	HD14	9.875" x 11.5"	Solid Back	48"	Ergo	3	16.5 lb
72142	Ergo-Power Square Point Shovel	HD14	9.875" x 11.5"	Solid Back	27"	D	3	16.5 lb
72232	Ergo-Power Drain Spade	HD14	4.75" x 11.5"	Solid Back	48"	Ergo	3	17 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

IRRIGATION & SPECIALTY SHOVELS

Stronger than wood - Built to last

CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES



MUD SHOVELS

FLORAL SHOVEL

ROOFERS RIPPING SPADE

RICE SHOVEL

SERRATED ROOFERS RIPPING SPADE

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	GAUGE	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72020	Ergo-Power Round Point Mud Shovel	HD	8.25" x 11.5"	Hollow Back	48"	Ergo	6	31 lb
72021	Ergo-Power Round Point Mud Shovel	HD	8.25" x 11.5"	Hollow Back	27"	D	3	15 lb
72022	Ergo-Power Square Point Mud Shovel	HD	8.25" x 11.5"	Hollow Back	48"	Ergo	6	31 lb
72023	Ergo-Power Square Point Mud Shovel	HD	8.25" x 11.5"	Hollow Back	27"	D	3	15 lb
69032	Classic Nuplaglas Irrigation/Floral Shovel	16	6" x 8.5"	Hollow Back	48"	B	6	17 lb
69033	Classic Nuplaglas Irrigation/Floral Shovel	16	6" x 8.5"	Hollow Back	27"	D	3	8 lb
69034	Classic Nuplaglas Irrigation/Floral Shovel	16	6" x 8.5"	Hollow Back	18"	D	3	7 lb
72138	Ergo-Power #2 Rice Shovel (RICE2LE)	16	8.5" x 10.75"	Hollow Back	48"	Ergo	6	29 lb
72127	Ergo-Power Roofers Ripping Spade w/ Fulcrum (RSL-E)	14	6.875" x 11.5"	Hollow Back	48"	Ergo	6	36.5 lb
72227	Ergo-Power Roofers Ripping Spade w/ Fulcrum (SER2L-E)	14	6.875" x 11.5"	Serrated	48"	Ergo	6	36.5 lb

SPECIALTY SHOVELS

NuPole™ Digging System

NUPOLE DETACHABLE SHOVELS

- Choose a round or square point blade
- Select a Nuplaglas Classic handle butt or D-grip
- Add extensions for greater length

**NuPole Digging System is interchangeable with NuPole Fire System (Page 40)*



BUTT GRIP

D-GRIP

EXTENSION

ROUND POINT

SQUARE POINT

PART NO.	DESCRIPTION	GAUGE	BLADE DIMEN- SION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
69255	NuPole #2 Round Point Blade (E-RP2)	16	9.5" x 11.5"	Hollow Back	24" (overall)	-	2	8.25 lb
69256	NuPole #2 Square Point Blade (E-SP2)	16	9.875" x 11.5"	Hollow Back	24" (overall)	-	2	8.25 lb
69269	Classic Nuplaglas NuPole Handle (ES-BG-36)	-	-	-	36"	B	2	3 lb
69270	Classic Nuplaglas NuPole Handle (ES-PDG-36)	-	-	-	36"	D	2	3 lb
69271	Classic Nuplaglas NuPole Extension (ES-3)	-	-	-	36"	-	2	3 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SCOOPS

Non-Sparking, Aluminum & General Blades



**NON-SPARKING
POLYMER**

ALUMINUM

GENERAL

CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES

PART NO.	DESCRIPTION	GAUGE	BLADE DIMEN- SION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72030	Ergo-Power Non-Sparking Polymer #12 Scoop	-	14.5" x 17.75"	#12 Polymer	48"	Ergo	6	30 lb
72031	Ergo-Power Non-Sparking Polymer #12 Scoop	-	14.5" x 17.75"	#12 Polymer	27"	D	3	13.5 lb
72154	Ergo-Power #10 Aluminum Scoop (AGS10L-E)	-	14.5" x 17.75"	#10 Aluminum	48"	Ergo	6	25 lb
72155	Ergo-Power #10 Aluminum Scoop (AGS10D-E)	-	14.5" x 17.75"	#10 Aluminum	27"	D	3	9.5 lb
72156	Ergo-Power #12 Aluminum Scoop (ASG12L-E)	-	14.75" x 18.75"	#12 Aluminum	48"	Ergo	6	26 lb
72157	Ergo-Power #12 Aluminum Scoop (ASG12D-E)	-	14.75" x 18.75"	#12 Aluminum	27"	D	3	10 lb
72158	Ergo-Power #14 Aluminum Scoop (ASG14L-E)	-	15.25" x 19.75"	#14 Aluminum	48"	Ergo	6	27 lb
72159	Ergo-Power #14 Aluminum Scoop (ASG14D-E)	-	15.25" x 19.75"	#14 Aluminum	27"	D	3	10.5 lb
72259	Ergo-Power #14 Aluminum Scoop (ASG14D-30E)	-	15.25" x 19.75"	#14 Aluminum	30"	D	3	13 lb
69011	Classic Nuplaglas #10 Aluminum Scoop (AGS10L)	-	14.5" x 17.75"	#10 Aluminum	48"	B	6	24 lb
69010	Classic Nuplaglas #10 Aluminum Scoop (AGS10)	-	14.5" x 17.75"	#10 Aluminum	27"	D	3	9.5 lb
69012	Classic Nuplaglas #12 Aluminum Scoop (AGS12)	-	14.75" x 18.75"	#12 Aluminum	27"	D	3	10 lb
69015	Classic Nuplaglas #14 Aluminum Scoop (AGS14L)	-	15.25" x 19.75"	#14 Aluminum	48"	B	6	26 lb
69014	Classic Nuplaglas #14 Aluminum Scoop (AGS14)	-	15.25" x 19.75"	#14 Aluminum	27"	D	3	10.5 lb
72174	Ergo-Power #2 General Scoop (SGE2L-E)	16	11.5" x 14.5"	Hollow Back	48"	Ergo	6	38 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

SCOOPS

Western & Eastern Blades

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE



WESTERN

EASTERN

CLASSIC NUPLAGLAS® & ERGO-POWER® HANDLES

PART NO.	DESCRIPTION	GAUGE	BLADE DIMEN- SION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
72180	Ergo-Power #10 Western Scoop (WS10L-E)	16	14.5" x 18"	Hollow Back	48"	Ergo	6	53 lb
72181	Ergo-Power #10 Western Scoop (WS10D-E)	16	14.5" X 18"	Hollow Back	27"	D	3	24 lb
72182	Ergo-Power #12 Western Scoop (WS12L-E)	16	15" x 19"	Hollow Back	48"	Ergo	6	58 lb
72183	Ergo-Power #12 Western Scoop (WS12D-E)	16	15" x 19"	Hollow Back	27"	D	3	26.5 lb
69114	Classic Nuplaglas #2 Eastern Scoop (ES2L)	16	11" x 15"	Hollow Back	48"	B	6	53 lb
69115	Classic Nuplaglas #2 Eastern Scoop (ES2D)	16	11" x 15"	Hollow Back	27"	D	3	24 lb

HANDLES

NON-CONDUCTIVE

Certified Non-Conductive Digging Tools

- Certified Non-Conductive properties combined with Nuplaglas and Power Pylon technologies provide the safest and strongest tools available
- All Non-Conductive tools undergo 100% testing at 10,000 volts to meet or exceed IEC 60900 and ASTM F1505 standards
- Power Pylon shovel blades – no shank means less breakage in the severest of conditions
- Outperforms similar solid shank blades, carrying 17% more payload



ROUND POINT

SQUARE POINT

DRAIN SPADE

DIGGING BAR

PRY BAR

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

PART NO.	DESCRIPTION	GAUGE	BLADE DIMEN- SION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
76245	Classic Nuplaglas Round Point Shovel (NC-RP14LPY)	HD14	9" x 11.5"	Solid Back	48"	B	3	14 lb
76225	Classic Nuplaglas Round Point Shovel (NC-RP14DPY)	HD14	9" x 11.5"	Solid Back	27"	D	3	14 lb
76145	Classic Nuplaglas Square Point Shovel (NC-SP14LPY)	HD14	9.5" x 11.5"	Solid Back	48"	B	3	16.5 lb
76142	Classic Nuplaglas Square Point Shovel (NC-SP14DPY)	HD14	9.5" x 11.5"	Solid Back	27"	D	3	16.5 lb
76232	Classic Nuplaglas Drain Spade (NC-SS14LPY)	HD14	4.75" x 14"	Solid Back	48"	B	3	17 lb
76233	Classic Nuplaglas Drain Spade (NC-SS14DPY)	HD14	4.75" x 14"	Solid Back	27"	D	3	17 lb

FIRE

PART NO.	DESCRIPTION	TIP STYLE	OVERALL LENGTH	WEIGHT	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
76292	Classic Nuplaglas Digging Bar (NC-DBP6)	Point	72"	6 lb	EC	1	6.25 lb
76300	Classic Nuplaglas Digging Bar (NC-DBW4)	Wedge	48"	5.5 lb	EC	1	5.75 lb
76301	Classic Nuplaglas Digging Bar (NC-DBW6)	Wedge	72"	7.5 lb	EC	1	7.75 lb
76603	Ergo Nuplaglas Single End Pry Bar (NC-PBC46)	Curved	46.75"	5.7 lb	Non-Slip	1	6.2 lb

HANDLES

Certified Non-Conductive Tools

- Manufactured in safety orange for easy identification and electrical insulation
- Each tool carries a unique serial number permanently registered at Nupla Corporation for traceability
- Nuplaglas composite handles resist heat and cold, and provide insulation from electric shock
- Perfect for utility, railroad, highway and electrical jobs



BOLT CUTTER

POST HOLE DIGGER

SOIL PROBE

RAILROAD PICK

PART NO.	DESCRIPTION	GAUGE	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
76701	Classic Nuplaglas Heavy Duty Bolt Cutter (NC-UCC18)	HD	3" x 7"	Center-Cut	18"	Bolt Cutter	1	4.5 lb
76702	Classic Nuplaglas Heavy Duty Bolt Cutter (NC-UCC24)	HD	3" x 7"	Center-Cut	24"	Bolt Cutter	1	7.25 lb
76703	Classic Nuplaglas Heavy Duty Bolt Cutter (NC-UCC30)	HD	3" x 7"	Center-Cut	30"	Bolt Cutter	1	12 lb
76548	Classic Nuplaglas Post Hole Digger (NC-PHD-4)	HD14	6.5" diameter	Solid Back	48"	B	1	11.5 lb
76562	Classic Nuplaglas Post Hole Digger (NC-PHD-6)	HD14	6.5" diameter	Solid Back	72"	B	1	12.5 lb

PART NO.	DESCRIPTION	TIP STYLE	WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
76401	Classic Nuplaglas Soil Probe (NC-PRB4T)	Metal	2 lb	48"	Cap	6	12 lb
76403	Classic Nuplaglas Soil Probe (NC-PBR5T)	Metal	2 lb	60"	Cap	6	12.5 lb

PART NO.	DESCRIPTION	NOMINAL WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
76151	Classic Nuplaglas Pick Mattock (NC-PM-5H)	5 lb	36"	Double Bit	1	9 lb
76251	Classic Nuplaglas Railroad Pick (NC-RP-5H)	5 lb	36"	Double Bit	1	9 lb

STRIKING

AXES

DIGGING


MAINTENANCE

FORESTRY

FIRE

HANDLES

LANDSCAPE



BOW RAKE

LANDSCAPE RAKE

SOIL PROBE

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	BLADE MATERIAL	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
69616	Classic Nuplaglas Bow Rake (BR16T)	Steel	16.25" wide	16-tine	60"	EC	6	21 lb
79616	Pro-Tec Bow Rake (BR16T-P)	Steel	16.25" wide	16-tine	60"	EC	6	21 lb
69240	Classic Nuplaglas HD Landscape Rake (GRK36)	Aluminum	36" wide	-	60"	B	1	6 lb
69401	Classic Nuplaglas T-Handle 4' Soil Probe (PRB4T)	-	1/2" Shaft	Metal Tip	48"	EC	6	12 lb
69403	Classic Nuplaglas T-Handle 5' Soil Probe (PRB5T)	-	1/2" Shaft	Metal Tip	60"	EC	6	12 lb
69405	Classic Nuplaglas T-Handle 4' Soil Probe HD (PRB4T)	-	5/8" Shaft	Metal Tip	48"	EC	6	13.5 lb
69407	Classic Nuplaglas T-Handle 5' Soil Probe HD (PRB5T)	-	5/8" Shaft	Metal Tip	60"	EC	6	14 lb

LANDSCAPE & JANITORIAL

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES



MULTI-PURPOSE SCRAPER

ICE SCRAPER

RUBBER SQUEEGEE

LEAF RAKE

PART NO.	DESCRIPTION	BLADE MATERIAL	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
69315	Classic Nuplaglas Multi-Purpose Ice Scraper (IS12)	Steel	12" wide	Scraper	54"	B	1	8.75 lb
69311	Classic Nuplaglas Ice Scraper (IS85)	Steel	8.5" wide	Scraper	54"	B	2	13.5 lb
69326	Solid Glass Heavy Duty Scraper (IS85S)	Steel	8.5" wide	Scraper	54"	B	2	14.65 lb
69236	Classic Nuplaglas Rubber Squeegee (EZS536)	Rubber	36" wide	Squeegee	68"	B	1	6.5 lb
69237	Replacement Squeegee Blade (EZS-RE)	Rubber	36" wide	Squeegee	-	-	1	0.5 lb
69610	Classic Nuplaglas Leaf Rake (SBR24)	Steel	23" wide	24-tine	54"	EC	3	9 lb

BOLT CUTTERS & DIGGING BARS

BOLT CUTTERS

- Hardened alloy, compound action steel jaws
- Heat-treated cutting edges
- Heavy-duty side plates keep jaws aligned for quick, clean cuts
- Cuts steel rod, wire mesh, guy strand and many other materials



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE


HANDLES

33

PART NO.	DESCRIPTION	GAUGE	CUTTING CAPACITY		BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
			UP TO 31 RC*	UP TO 42 RC*						
69701	Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC18)	HD	0.375" (10mm)	0.25" (6mm)	3" x 7"	Center-Cut	18"	Bolt Cutter	1	3.75 lb
69702	Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC24)	HD	0.375" (10mm)	0.25" (6mm)	3" x 7"	Center-Cut	24"	Bolt Cutter	1	6 lb
69703	Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC30)	HD	0.5" (12mm)	0.375" (10mm)	3" x 7"	Center-Cut	30"	Bolt Cutter	1	8.05 lb
69704	Classic Nuplaglas Super Heavy-Duty Bolt Cutter (UCC36)	HD	0.563" (14mm)	0.437" (11mm)	3" x 7"	Center-Cut	36"	Bolt Cutter	1	12.3 lb
69706	Replacement Jaws for 18" Heavy Duty Bolt Cutter (UCC18)	HD	0.375" (10mm)	0.25" (6mm)	3" x 7"	Center-Cut	-	-	1	0.2 lb
69707	Replacement Jaws for 24" Heavy Duty Bolt Cutter (UCC24)	HD	0.375" (10mm)	0.25" (6mm)	3" x 7"	Center-Cut	-	-	1	0.2 lb
69708	Replacement Jaws for 30" Heavy Duty Bolt Cutter (UCC30)	HD	0.5" (12mm)	0.375" (10mm)	3" x 7"	Center-Cut	-	-	1	0.35 lb
69709	Replacement Jaws for 36" Heavy Duty Bolt Cutter (UCC36)	HD	0.563" (14mm)	0.437" (11mm)	3" x 7"	Center-Cut	-	-	1	0.35 lb

DIGGING BARS

- Hardened steel tips on solid Nuplaglas handles
- Lightweight yet delivers the force of a steel bar
- Also great for forceable entry and as a ramming bar



POINT & WEDGE

POINT

WEDGE

PART NO.	DESCRIPTION	GAUGE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
69291	Classic Nuplaglas Digging Bar w/ Point (DBP5)	HD	60"	EC	1	5.25 lb
69292	Classic Nuplaglas Digging Bar w/ Point (DBP6)	HD	72"	EC	1	6.25 lb
69357	Classic Nuplaglas Digging Bar w/ Point & Ball (DBPB5)	HD	60"	-	1	9 lb
69351	Classic Nuplaglas Digging Bar w/ Point & Ball (DBPB6)	HD	72"	-	1	7.45 lb
69299	Classic Nuplaglas Digging Bar w/ Wedge (DBW5)	HD	60"	EC	1	6.75 lb
69301	Classic Nuplaglas Digging Bar w/ Wedge (DBW6)	HD	72"	EC	1	7.75 lb
69356	Classic Nuplaglas Digging Bar w/ Wedge & Ball (DBWB5)	HD	60"	-	1	7.95 lb
69354	Classic Nuplaglas Digging Bar w/ Wedge & Ball (DBWB6)	HD	72"	-	1	8.95 lb
69287	Classic Nuplaglas Digging Bar w/ Point & Wedge (DBPW5)	HD	60"	-	1	7.5 lb
69296	Classic Nuplaglas Digging Bar w/ Point & Wedge (DBPW6)	HD	72"	-	1	8.5 lb


FENCING, PAVING & CONCRETE TOOLS

STRIKING

AXES

DIGGING

MAINTENANCE



FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	GAUGE	BLADE DIMENSION	BLADE STYLE	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
69548	Classic Nuplaglas HD Post Hole Digger (PHD4)	14	6.5" diameter	Closed Back	48"	B	1	11.5 lb
69562	Classic Nuplaglas HD Post Hole Digger (PHD6)	14	6.5" diameter	Closed Back	72"	B	1	12.5 lb
69596	Classic Nuplaglas HD Post Hole Digger (PHD8)	14	6.5" diameter	Closed Back	96"	B	1	13.5 lb
69314	Classic Nuplaglas Concrete Placer (CC20H)	HD	20" wide	With Hook	54"	EC	6	30.5 lb
69316	Classic Nuplaglas Concrete Placer (CC20H-66)	HD	20" wide	With Hook	66"	EC	6	32 lb
79314	Pro-Tec Concrete Placer (CC20H-P)	HD	20" wide	With Hook	54"	EC	6	30.5 lb
69829	Classic Nuplaglas Tamper (TT8S)	HD	8" x 8"	Cast Steel	48"	B	2	17 lb
69831	Classic Nuplaglas Tamper (TT10S)	HD	10" x 10"	Cast Steel	48"	B	2	20 lb
69361	Classic Nuplaglas Asphalt Lute (ALK36-72)	HD	36" wide	Aluminum	72"	B	1	6.25 lb
69828	Classic Nuplaglas Asphalt Rake (AR14T)	HD	17" wide	Steel	60"	B	6	24 lb
69366	Classic Nuplaglas Mortar Mixer (MMH10)	HD	10" x 6"	Perforated	66"	EC	6	20 lb
79366	Pro-Tec Mortar Mixer (MMH10-P)	HD	10" x 6"	Perforated	66"	EC	6	20 lb
68040	Broom Head w/ Bracket (P72-18)	-	18" wide	Hard Wood Head	-	-	-	2 lb
68041	Broom Head w/ Bracket (P72-24)	-	24" wide	Hard Wood Head	-	-	-	2.5 lb
68042	Broom Head w/ Bracket (P72-30)	-	30" wide	Hard Wood Head	-	-	-	3 lb
68553	Classic Nuplaglas Broom/Mop Handle (48BMH)	-	-	-	48"	EC	6	7 lb
68554	Classic Nuplaglas Broom/Mop Handle (54BMH)	-	-	-	54"	EC	6	8 lb
68555	Classic Nuplaglas Broom/Mop Handle (60BMH)	-	-	-	60"	EC	6	8.5 lb
68556	Classic Nuplaglas Broom/Mop Handle (72BMH)	-	-	-	72"	EC	6	9 lb

UTILITY PIKE POLES & PICKEROONS

UTILITY PIKE POLES

- Slightly heavier than aluminum, resistant to moisture, chemicals and rot
- Will not break or kink like wood and aluminum poles
- Chemically bonded hardened steel head, exceeds 3000 lbs pull strength
- Non-slip grip design for non-visual hook end orientation
- Lifetime Warranty on all Nuplaglas Classic Handles



PIKE HEAD

PICKAROON

- Drop forged head
- Non-slip grip

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	LENGTH	HEAD MATERIAL	TOOL WEIGHT	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
36499	Classic Nuplaglas Utility Pike Pole	6'	Hardened Steel	4.27 lb	Non-slip	1	5.1 lb
36500	Classic Nuplaglas Utility Pike Pole	8'	Hardened Steel	7.28 lb	Non-slip	1	8.3 lb
36501	Classic Nuplaglas Utility Pike Pole	10'	Hardened Steel	10.29 lb	Non-slip	1	11.4 lb
36502	Classic Nuplaglas Utility Pike Pole	12'	Hardened Steel	13.3 lb	Non-slip	1	14.4 lb
36503	Classic Nuplaglas Utility Pike Pole	14'	Hardened Steel	16.31 lb	Non-slip	1	17.5 lb
36504	Classic Nuplaglas Utility Pike Pole	16'	Hardened Steel	19.32 lb	Non-slip	1	21.3 lb
36505	Classic Nuplaglas Utility Pike Pole	18'	Hardened Steel	22.33 lb	Non-slip	1	24.4 lb
24402	Classic Nuplaglas Pickaroon, Large Forged Head	16"	Hardened Steel	1.65 lb	SB	2	3.7 lb
24403	Classic Nuplaglas Pickaroon, Large Forged Head	36"	Hardened Steel	2.97 lb	SB	2	6.5 lb

FIRE TOOLS



PIKE POLES

Heavy-Duty Classic Nuplaglas®



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
36103	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-3)	3'	D	1	5.3 lb
36122	Classic Nuplaglas Pike Pole, Round w/ grip, head on same plane (YPDH-S3)	3'	D	1	5.3 lb
36204	Classic Nuplaglas Pike Pole, Round (YPD-4)	4'	-	1	5.7 lb
36104	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-4)	4'	D	1	7.2 lb
36121	Classic Nuplaglas Pike Pole, Round w/ grip, head on same plane (YPDH-S4)	4'	D	1	7.2 lb
36124	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-4A)	4'	Aluminum D	1	8.7 lb
36206	Classic Nuplaglas Pike Pole, Round (YPD-6)	6'	-	1	6.5 lb
36205	Classic Nuplaglas Pike Pole, Round w/ monoprene sleeve (YPD-6M IAF)	6'	-	1	7 lb
36106	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-6)	6'	D	1	8 lb
36126	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-6A)	6'	Aluminum D	1	9.5 lb
36127	Classic Nuplaglas Pike Pole, Round w/ grip, head on same plane (YPDH-6A)	6'	Aluminum D	1	9.5 lb
36208	Classic Nuplaglas Pike Pole, Round (YPD-8)	8'	-	1	7.3 lb
36108	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-8)	8'	D	1	8.8 lb
36128	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-8A)	8'	Aluminum D	1	10.3 lb
36210	Classic Nuplaglas Pike Pole, Round (YPD-10)	10'	-	1	8.1 lb
36110	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-10)	10'	D	1	9.6 lb
36130	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-10A)	10'	Aluminum D	1	11.1 lb
36212	Classic Nuplaglas Pike Pole, Round (YPD-12)	12'	-	1	8.9 lb
36112	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-12)	12'	D	1	10.4 lb
36132	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-12A)	12'	Aluminum D	1	11.9 lb
36214	Classic Nuplaglas Pike Pole, Round (YPD-14)	14'	-	1	9.7 lb
36111	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-14)	14'	D	1	11.2 lb
36215	Classic Nuplaglas Pike Pole, Round (YPD-15)	15'	-	1	10.1 lb
36216	Classic Nuplaglas Pike Pole, Round (YPD-16)	16'	-	1	10.5 lb
36116	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-16)	16'	D	1	12 lb
36136	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-16A)	16'	Aluminum D	1	13.5 lb
36218	Classic Nuplaglas Pike Pole, Round (YPD-18)	18'	-	1	11.3 lb
36220	Classic Nuplaglas Pike Pole, Round (YPD-20)	20'	-	1	12.1 lb
36120	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-20)	20'	D	1	15.75 lb
36140	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-20A)	20'	Aluminum D	1	17.25 lb
36225	Classic Nuplaglas Pike Pole, Round (YPD-25)	25'	-	1	14.1 lb

PIKE POLES

Super-Duty I-Beam

STRIKING

AXES



PIKE POLE COMPONENTS

DIGGING

MAINTENANCE

FORESTRY

FIRE

PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
35031	Super-Duty I-Beam Pike Pole w/ grip (SPDH-3)	3'	D	1	3.5 lb
35040	Super-Duty I-Beam Pike Pole (SPD-4)	4'	-	1	5.8 lb
35042	Super-Duty I-Beam Pike Pole w/ grip (SPDH-4)	4'	D	1	7.3 lb
35041	Super-Duty I-Beam Pike Pole w/ grip (SPDH-4A)	4'	Aluminum D	1	8.8 lb
35050	Super-Duty I-Beam Pike Pole (SPD-5)	5'	-	1	6.65 lb
35051	Super-Duty I-Beam Pike Pole w/ grip (SPDH-5)	5'	D	1	6.75 lb
35052	Super-Duty I-Beam Pike Pole w/ grip (SPDH-5A)	5'	Aluminum D	1	8.25 lb
35060	Super-Duty I-Beam Pike Pole (SPD-6)	6'	-	1	7.5 lb
35061	Super-Duty I-Beam Pike Pole w/ grip (SPDH-6)	6'	D	1	8.75 lb
35062	Super-Duty I-Beam Pike Pole w/ grip (SPDH-6A)	6'	Aluminum D	1	10.25 lb
35063	Super-Duty I-Beam Pike Pole w/ grip (SPDH-6A-90)	6'	90° D	1	10.25 lb
35080	Super-Duty I-Beam Pike Pole (SPD-8)	8'	-	1	9.2 lb
35081	Super-Duty I-Beam Pike Pole w/ grip (SPDH-8)	8'	D	1	10.25 lb
35082	Super-Duty I-Beam Pike Pole w/ grip (SPDH-8A)	8'	Aluminum D	1	11.75 lb
35100	Super-Duty I-Beam Pike Pole (SPD-10)	10'	-	1	10.9 lb
35101	Super-Duty I-Beam Pike Pole w/ grip (SPDH-10)	10'	D	1	11.75 lb
35102	Super-Duty I-Beam Pike Pole w/ grip (SPDH-10A)	10'	Aluminum D	1	13.25 lb
35120	Super-Duty I-Beam Pike Pole (SPD-12)	12'	-	1	12.6 lb
35121	Super-Duty I-Beam Pike Pole w/ grip (SPDH-12)	12'	D	1	13.25 lb
35122	Super-Duty I-Beam Pike Pole w/ grip (SPDH-12A)	12'	Aluminum D	1	14.75 lb
35140	Super-Duty I-Beam Pike Pole (SPD-14)	14'	-	1	14.3 lb
35141	Super-Duty I-Beam Pike Pole w/ grip (SPDH-14)	14'	D	1	14.75 lb
35160	Super-Duty I-Beam Pike Pole (SPD-16)	16'	-	1	16 lb
35182	Super-Duty I-Beam Pike Pole w/ grip (SPDH-18A)	18'	Aluminum D	1	19.65 lb
35200	Super-Duty I-Beam Pike Pole (SPD-20)	20'	-	1	18.35 lb
35201	Super-Duty I-Beam Pike Pole w/ grip (SPDH-20)	20'	D	1	19.65 lb


Pike Pole Components

PART NO.	DESCRIPTION	STD. PACK	STD. PACK WEIGHT	PART NO.	DESCRIPTION	STD. PACK	STD. PACK WEIGHT
35001	Pike Pole Head, 1.25" (PP125)	2	1.75 lb	35006	Pikehead Adaptor (PHA125)	2	0.9 lb
35000	Super-Duty Pike Pole Head, 1.5" (PP150)	2	2 lb	35011	Heavy Duty Pikehead Adaptor (PHA150)	2	0.9 lb
35002	Standard D-Grip (TESD)	2	0.5 lb	35013	D-Grip, Aluminum (ALD)	2	0.75 lb
35003	Butt Grip (BG125)	2	0.9 lb	36550	LAFD Rubbish Hook Head (RH6)	2	4 lb
35004	Grip Adaptor (DGA125)	2	0.9 lb				

HANDLES

ROOF VENTILATION HOOKS

ROOF VENTILATION/ TRASH HOOK



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
36555	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-3D)	3'	D	1	6.8 lb
36552	Classic Nuplaglas Roof Ventilation Pole, Round (RH-4S)	4'	-	1	7.2 lb
36553	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-4D)	4'	D	1	8.7 lb
36554	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-4DA)	4'	Aluminum D	1	8.7 lb
36551	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-5D)	5'	D	1	7.6 lb
36556	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-5DA)	5'	Aluminum D	1	8 lb
36565	Classic Nuplaglas Roof Ventilation Pole, Round (RH-6S)	6'	-	1	8 lb
36560	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-6D)	6'	D	1	9.5 lb
36561	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-6DA)	6'	Aluminum D	1	9.5 lb
36563	Classic Nuplaglas Roof Ventilation Pole, Round (RH-8S)	8'	-	1	8.8 lb
36566	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-8D)	8'	D	1	10.3 lb
36564	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-8DA)	8'	Aluminum D	1	10.3 lb
36567	Classic Nuplaglas Roof Ventilation Pole, Round (RH-10S)	10'	-	1	9.6 lb
36570	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-10D)	10'	D	1	11.1 lb
36568	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-10DA)	10'	Aluminum D	1	11.1 lb
36569	Classic Nuplaglas Roof Ventilation Pole, Round (RH-12S)	12'	-	1	10.4 lb
36571	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-12D)	12'	D	1	11.9 lb
36572	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-12DA)	12'	Aluminum D	1	11.9 lb
36573	Classic Nuplaglas Roof Ventilation Pole, Round (RH-14S)	14'	-	1	11.2 lb
36574	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-14D)	14'	D	1	12.7 lb
36575	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-14DA)	14'	Aluminum D	1	12.7 lb
36576	Classic Nuplaglas Roof Ventilation Pole, Round (RH-16S)	16'	-	1	12 lb
36577	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-16D)	16'	D	1	13.5 lb
36578	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-16DA)	16'	Aluminum D	1	13.5 lb
36582	Classic Nuplaglas Roof Ventilation Pole, Round (RH-20S)	20'	-	1	13.6 lb
36584	Classic Nuplaglas Roof Ventilation Pole, Round w/ grip (RH-20DA)	20'	Aluminum D	1	15.1 lb
36585	Classic Nuplaglas Roof Ventilation Pole, Round (RH-25S)	25'	-	1	15.6 lb

SPECIALTY PIKE POLES

2-PIECE PIKE POLES

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

- 8'-10'-12' lengths
- 2-piece pike pole kits come with (1) handle section, (1) pike section and an assembly kit
- 2-piece pole kits reduce shipping costs



**ALUMINUM
D-GRIP**

D-GRIP

BUTT GRIP

PIKE

FIRE

HANDLES

PART NO.	DESCRIPTION	SECTION LENGTH		TOTAL LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
		HANDLE	PIKE/HOOK				
36750	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	3'	8'	B	1	8.3 lb
36751	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	5'	10'	B	1	9.1 lb
36752	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	6'	6'	12'	B	1	10 lb
36753	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	3'	8'	D	1	9.8 lb
36754	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	5'	10'	D	1	10.6 lb
36755	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	6'	6'	12'	D	1	11.4 lb
36756	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	3'	8'	Aluminum D	1	11.3 lb
36757	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	5'	5'	10'	Aluminum D	1	12.1 lb
36758	2-Piece Classic Nuplaglas Pike Pole, Round w/ grip	6'	6'	12'	Aluminum D	1	13 lb

SPECIALTY PIKE POLES

NuPole™ Fire System



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

PART NO.	DESCRIPTION	LENGTH	HEAD TYPE OR GRIP STYLE	STD. PACK	STD. PACK WEIGHT
36625	NuPole Fire System - Classic Nuplaglas Pole, Round (E-YPD)	3'	Pike Head	1	4 lb
36626	NuPole Fire System - Classic Nuplaglas Pole, Round (E-RH)	3'	Ventilation Hook Head	1	5.75 lb
36634	NuPole Fire System - Classic Nuplaglas Pole, Round (E-SFR)	3'	Fire Rake Head	1	3.5 lb
36635	NuPole Fire System - Classic Nuplaglas Pole, Round (E-FHR)	3'	U.S. Forest Service McLeod Hoe/Rake Head	1	5 lb
36636	NuPole Fire System - Classic Nuplaglas Pole, Round (E-FSW)	3'	Fire Swatter	1	4.5 lb
36620	NuPole Fire System - Classic Nuplaglas Pole, Round (E-BG)	3'	Butt Grip End	1	3 lb
36639	NuPole Fire System - Classic Nuplaglas Pole, Round (E-BG-6)	6'	Butt Grip End	1	1.8 lb
36621	NuPole Fire System - Classic Nuplaglas Pole, Round (E-SDG)	3'	Steel D Grip End	1	3.75 lb
36622	NuPole Fire System - Classic Nuplaglas Pole, Round (E-ADG)	3'	Aluminum D Grip End	1	3.75 lb
36602	NuPole Fire System - Classic Nuplaglas Pole, Round (E-2)	2'	Extension	1	2.15 lb
36603	NuPole Fire System - Classic Nuplaglas Pole, Round (E-3)	3'	Extension	1	2.75 lb
36604	NuPole Fire System - Classic Nuplaglas Pole, Round (E-4)	4'	Extension	1	3.2 lb
36627	NuPole Fire System Roof Kit - Classic Nuplaglas, Round, Includes: Pike Head, Vent Hook, Steel D Grip & 4' Extension (E-RK)			1	16.75 lb

FIRE

HANDLES

FIRE AXES

Ergo-Power®, Classic Nuplaglas® & Hickory

STRIKING

AXES

DIGGING



ERGO SLIM LINE & SUPER GRIPS

CLASSIC SINGLE BIT GRIP

WOOD HANDLES

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
33660	Ergo-Power Flat Head Axe (FP-6ESG)	6 lb	32"	SG	2	17 lb
33661	Ergo-Power Flat Head Axe (FP-6LESG)	6 lb	36"	SG	2	17 lb
31660	Ergo-Power Pick Head Axe (AP-6ESG)	6 lb	32"	SG	2	17 lb
31661	Ergo-Power Pick Head Axe (AP-L6ESG)	6 lb	36"	SG	2	17 lb
31685	Ergo-Power Pick Head Axe, Slim Line Handle (APC 6E-28)	6 lb	28"	SB	2	17 lb
31686	Ergo-Power Pick Head Axe, Slim Line Handle (APC 6E-32)	6 lb	32"	SB	2	17 lb
31687	Ergo-Power Pick Head Axe, Slim Line Handle (APC 6E-36)	6 lb	36"	SB	2	17 lb
31688	Ergo-Power Flat Head Axe, Slim Line Handle (FPC 6E)	6 lb	36"	SB	2	17 lb
31672	Replacement Ergo-Power Slim Line Handle w/ epoxy	-	28"	SB	1	3 lb
31673	Replacement Ergo-Power Slim Line Handle w/ epoxy	-	32"	SB	1	3 lb
31674	Replacement Ergo-Power Slim Line Handle w/ epoxy	-	36"	SB	1	3 lb
31062	Classic Nuplaglas Pick Head Axe (AP-6-28)	6 lb	28"	SB	2	16.25 lb
31063	Classic Nuplaglas Pick Head Axe (AP-6-32)	6 lb	32"	SB	2	16.75 lb
31060	Classic Nuplaglas Pick Head Axe (AP-6-36)	6 lb	36"	SB	2	17 lb
33060	Classic Nuplaglas Flat Head Axe (FP-6)	6 lb	36"	SB	2	17 lb
06205	Hickory Pick Head Axe (APW-6-28)	6 lb	28"	-	2	13.5 lb
06206	Hickory Pick Head Axe (APW-6-32)	6 lb	32"	-	2	13.8 lb
06207	Hickory Pick Head Axe (APW-6-36)	6 lb	36"	-	2	14 lb
06210	Hickory Flat Head Axe (FPW-6-28)	6 lb	28"	-	2	13.5 lb
06211	Hickory Flat Head Axe (FPW-6-32)	6 lb	32"	-	2	13.8 lb
06212	Hickory Flat Head Axe (FPW-6-36)	6 lb	36"	-	2	14 lb
06159	Replacement Hickory Handle Kit - Fits Double Bit Axe	1.55 lb	32"	-	1	2.05 lb
06160	Replacement Hickory Handle Kit - Fits Double Bit Axe	1.75 lb	36"	-	1	2.25 lb
06161	Replacement Hickory Handle Kit - Fits Single Bit Axe	1.55 lb	32"	-	1	2.05 lb
06162	Replacement Hickory Handle Kit - Fits Single Bit Axe	1.75 lb	36"	-	1	2.25 lb

HALLIGANS

HALLIGAN TOOLS

- Handle is up to 35% lighter than comparable tools
- Nickel-plated steel ends to prevent rust
- Tough, ribbed polypropylene jacket for a non-slip grip
- Available in 3 lengths



MARRYING STRAP



FIRE SAFETY YELLOW



POLICE/SWAT BLACK



STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

PART NO.	DESCRIPTION	NOMINAL WEIGHT	LENGTH	STD. PACK	STD. PACK WEIGHT
33803	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)	8.4 lb	24"	1	9.8 lb
33800	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)	8.8 lb	30"	1	10.6 lb
33801	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Yellow (Fire)	9.4 lb	36"	1	10.8 lb
33802	Halligan/Axe Marrying Strap, Hook & Loop Fastener (Fits 30" Halligan & 32" Axes)	0.33 lb	18"	4	2 lb
34025	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Black (Police/SWAT)	8.4 lb	24"	1	9.8 lb
34026	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Black (Police/SWAT)	8.8 lb	30"	1	10.6 lb
34027	Classic Nuplaglas Steel Claw & Pry Halligan Tool, Black (Police/SWAT)	9.4 lb	36"	1	10.8 lb

WILDLAND TOOLS

STRIKING

PULASKI



AXES

DIGGING

MAINTENANCE

NEW 42" PULASKI

FIRE SWATTER

FIRE RAKE

MCLEOD

FORESTRY


FIRE

HANDLES

PART NO.	DESCRIPTION	HEAD WEIGHT	HANDLE LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
31777	Ergo-Power Pulaski Axe 42" (PA375-XLECS) NEW	3.5 lb.	42"	CS	2	15.9 lb
31778	Ergo-Power Pulaski Axe 42" (PA375-XLESG) NEW	3.5 lb.	42"	SG	2	15.9 lb
31776	Ergo-Power Pulaski Axe (PA375-LECS)	3.5 lb.	36"	CS	2	14.5 lb
31676	Ergo-Power Pulaski Axe (PA375-LESG)	3.5 lb.	36"	SG	2	14.5 lb
31775	Ergo-Power Pulaski Axe (PA375-ECS)	3.5 lb.	32"	CG	2	13.9 lb
31675	Ergo-Power Pulaski Axe (PA375-ESG)	3.5 lb.	32"	SG	2	13.9 lb
31375	Classic Nuplaglas® Pulaski Axe (PA375-36)	3.5 lb.	36"	DB	2	13.5 lb
06202	Hickory Pulaski Axe	3.5 lb.	36"	-	2	12 lb
06160	Replacement Hickory Handle Kit	-	36"	-	1	2.4 lb
55609	U.S. Forest Service Replacement Ergo Pulaski Handle Kit - 42" - CS Grip w/ Epoxy NEW	-	42"	CS	1	4.2 lb
55610	Replacement Ergo Handle Kit - 42" - SG Grip w/ Epoxy NEW	-	42"	SG	1	4.2 lb
36" Nuplaglas® Pulaski Replacement Handles (see page 46)						
69215	Classic Nuplaglas Fire Swatter (FSW-15)	-	60"	B	6	30 lb
69214	Classic Nuplaglas Fire Rake (SFR-4)	-	60"	B	1	5 lb
69216	Classic Nuplaglas U.S. Forest Service McLeod Fire Tool (FHR-48)	-	48"	B	1	6 lb
79216	Pro-Tec U.S. Forest Service McLeod Fire Tool (FHR-48P)	-	48"	B	1	15 lb

REPLACEMENT HANDLES

Nuplaglas® Cross Section Chart



GLASS SIZE	MAJOR (INCH)	MINOR (INCH)
43	0.433	0.297
51	0.520	0.359
65	0.641	0.424
75	0.735	0.453
85	0.842	0.539
95	0.961	0.586
100	0.966	0.742
118	1.124	0.772
122	1.176	0.947
140	1.363	0.985



Nuplabond® Striking Tool Handles - Classic Nuplaglas®

(AE) / (A) KITS:
Individual Handle w/ Epoxy

(CIPE) / (CIP) KITS:
Multi-Handle Packs w/ Epoxy

(IPE) / (IP) KITS:
Multi-Handle Packs w/o Epoxy

PART NO.	DESCRIPTION	EPOXY INCLUDED?	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
59431	Fits 4 oz Ball Pein (A 4311)	Yes	11"	H	1	0.5 lb
59512	Fits 8 oz Ball Pein (A 5112)	Yes	12"	H	1	0.5 lb
59653	Fits 12 oz Ball Pein/ 7 oz Claw (A 6513)	Yes	13"	H	1	0.5 lb
59753	Fits 16-20 oz Ball Pein/ 13 oz Claw (A 7513)	Yes	13"	H	1	0.75 lb
59759	Fits 16-20 oz Ball Pein/ 13 oz Claw (A 7513SG)	Yes	13"	SG	1	0.75 lb
59755	Fits 16-20 oz Ball Pein/ 13 oz Claw (A 7514SG)	Yes	14"	SG	1	0.85 lb
59850	Fits 2 lb Hand Drilling (A 8510)	Yes	10"	C	1	0.85 lb
59854	Fits 16 oz Claw/Ripping / 24-32 oz Ball Pein / 2 lb Sledge (A 8514)	Yes	14"	H	1	1 lb
59859	Fits 16 oz Claw/Ripping / 24-32 oz Ball Pein / 2 lb Sledge (A 8514SG)	Yes	14"	SG	1	1 lb
59856	Fits 40 oz Ball Pein (A 8516)	Yes	16"	H	1	1.25 lb
59858	Fits 40 oz Ball Pein (A 8516SG)	Yes	16"	SG	1	1.25 lb
59950	Fits 3-4 lb Hand Drilling (A 9510)	Yes	10"	C	1	1 lb
59954	Fits 3-4 lb Sledge (A 9514)	Yes	14"	C	1	1.25 lb
59959	Fits 3-4 lb Sledge (A 9514-SG)	Yes	14"	SG	1	1.25 lb
59957	Fits 48 oz Ball Pein (A 9516-SG)	Yes	16"	SG	1	1.25 lb
59187	Fits 6-20 lb Sledge/6-8 lb Maul (A 11816)	Yes	16"	CS	1	1.8 lb
59182	Fits 6-20 lb Sledge/6-8 lb Maul (A 11832)	Yes	32"	CS	1	2.75 lb
59190	Fits 6-20 lb Sledge/6-8 lb Maul (A 11832SG)	Yes	32"	SG	1	2.75 lb
59186	Fits 6-20 lb Sledge/6-8 lb Maul (A 11836)	Yes	36"	CS	1	3 lb
59189	Fits 6-20 lb Sledge/6-8 lb Maul (A 11836SG)	Yes	36"	SG	1	3 lb

Nuplabond® Striking Tool Handles - Classic Nuplaglas®

PART NO.	DESCRIPTION	EPOXY INCLUDED?	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
57188	Fits 6-20 lb Sledge / 6-8 lb Maul (CIP 11818)	Yes	18"	CS	5	8.5 lb
57184	Fits 6-20 lb Sledge / 6-8 lb Maul (CIP 11824)	Yes	24"	CS	5	9.5 lb
57182	Fits 6-20 lb Sledge / 6-8 lb Maul (CIP 11832)	Yes	32"	CS	5	13 lb
57186	Fits 6-20 lb Sledge / 6-8 lb Maul (CIP 11836)	Yes	36"	CS	5	14.5 lb
57189	Fits 6-20 lb Sledge / 6-8 lb Maul (CIP 11836SG)	Yes	36"	SG	5	14.5 lb
61431	Fits 4 oz Ball Pein (IP 4311)	No	11"	H	10	4 lb
61512	Fits 8 oz Ball Pein (IP 5112)	No	12"	H	10	4 lb
61653	Fits 12 oz Ball Pein / 7 oz Claw (IP 6513)	No	13"	H	10	6 lb
61753	Fits 16-20 oz Ball Pein / 13 oz Claw (IP 7513)	No	13"	H	10	6.25 lb
61754	Fits 16-20 oz Ball Pein / 13 oz Claw (IP 7514)	No	14"	H	10	6.5 lb
61755	Fits 16-20 oz Ball Pein / 13 oz Claw (IP 7514SG)	No	14"	SG	10	6.5 lb
61756	Fits 16-20 oz Ball Pein / 13 oz Claw (IP 7516)	No	16"	H	10	7 lb
61854	Fits 16 oz Claw/Ripping / 24-32 oz Ball Pein / 2 lb Sledge (IP 8514)	No	14"	H	10	7.5 lb
61855	Fits 16 oz Claw/Ripping / 24-32 oz Ball Pein / 2 lb Sledge (IP 8514SG)	No	14"	SG	10	7.5 lb
61857	Fits 40 oz Ball Pein (IP 8516SG)	No	16"	SG	10	8.5 lb
61959	Fits 3-4 lb Sledges (IP 9514SG)	No	14"	SG	5	5.5 lb
61956	Fits 48 oz Ball Pein (IP 9516)	No	16"	C	5	6 lb
61957	Fits 48 oz Ball Pein (IP 9516SG)	No	16"	SG	5	6 lb
61960	Fits 48 oz Ball Pein (IP 9518)	No	18"	C	5	9.5 lb
61186	Fits 6-20 lb Sledge/6-8 lb Maul (IP 11836)	No	36"	CS	5	14.5 lb
61189	Fits 6-20 lb Sledge/6-8 lb Maul (IP 11836SG)	No	36"	SG	5	14.5 lb

Nuplabond® Epoxy Kits & Bulk

PART NO.	DESCRIPTION	SIZE	STD. PACK	STD. PACK WEIGHT
39012	Nuplabond A/B, For Small Hammers (BK-12)	12 gr	2	0.25 lb
39024	Nuplabond A/B, For Sledge Hammers (BK-24)	24 gr	1	0.25 lb
39072	Nuplabond A/B, For Axes (HK-147)	72 gr	1	0.38 lb
39132	Nuplabond A/B, For Bulk Packs (BKIP-132)	4 oz	1	0.65 lb
41110	Nuplabond A (NBA-16)	1 pint	1	1.25 lb
41210	Nuplabond B (NBB-16)	1 pint	1	1.25 lb
41120	Nuplabond A (NBA-32)	1 quart	1	2.25 lb
41220	Nuplabond B (NBB-32)	1 quart	1	2.25 lb
41180	Nuplabond A (NBA-128)	1 gallon	1	8.5 lb
41280	Nuplabond B (NBB-128)	1 gallon	1	8.5 lb

STRIKING

AXES

DIGGING

MAINTENANCE

FORESTRY

FIRE

HANDLES

REPLACEMENT HANDLES

Striking Tool & Axe Handles



STRIKING

AXES

DIGGING

MAINTENANCE

PART NO.	DESCRIPTION	EPOXY INCLUDED?	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
59300	Ergo-Power Striking Tool, Fits all heads w/ 1" eyeholes (AE7510SG)	Yes	10"	SG	1	0.6 lb
59305	Ergo-Power Striking Tool, Fits all heads w/ 1" eyeholes (AE7512SG)	Yes	12"	SG	1	0.7 lb
59310	Ergo-Power Striking Tool, Fits all heads w/ 1" eyeholes (AE7514SG)	Yes	14"	SG	1	0.8 lb
59320	Ergo-Power Striking Tool, Fits all heads w/ 1" eyeholes (AE7518SG)	Yes	18"	SG	1	1 lb
62110	Ergo-Power Striking Tool, Fits all heads w/ 1" eyeholes (IPE7514SG)	No	14"	SG	10	8 lb
59816	Ergo-Power Slugging Hammer (AE110-16SG)	Yes	16"	SG	1	lb
59832	Ergo-Power Sledge/Maul Nuplabond (AE132SG)	Yes	32"	SG	1	3.44 lb
59834	Ergo-Power Sledge/Maul Nuplabond (AE136SG)	Yes	36"	SG	1	3.44 lb
55608	Ergo-Power Double Bit Axe/Pulaski Axe (EAX136CS)	Yes	36"	CS	1	3 lb
31674	Ergo-Power Slimline Axe (EXC136)	Yes	36"	SB	1	3 lb
62165	Ergo-Power Double Bit Axe/Pulaski Axe (IPEAX136SG)	No	36"	SG	5	5 lb
62167	Ergo-Power Double Bit Axe/Pulaski Axe (IPEAX136CS)	No	36"	CS	5	5 lb
55551	Ergo-Power Pick/Mattock, #6 eyehole (NS6-1ESG)	No	36"	SG	1	3.2 lb
55553	Ergo-Power Pick/Mattock, #6 eyehole (IPNS6-1ESG)	Yes	36"	SG	5	17.5 lb
55390	Classic Nuplaglas Pulaski Axe (B-139D)	Yes	36"	SB	1	2.5 lb
55470	Classic Nuplaglas Single Bit Axe/Bush Hook (B-147S)	Yes	36"	SB	1	3 lb
63470	Classic Nuplaglas Single Bit Axe/Bush Hook (IP 147-36-S)	No	36"	SB	5	16 lb

FORESTRY

FIRE




Mech/Loc® Handles

- Assemble with wedges, just like wood
- No epoxy needed
- Repair broken handles on the job site; no epoxy or curing time needed

HANDLES

PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
16-20 oz Claw/Ripping Handles					
59883	Classic Nuplaglas (ML8513)	13"	H	1	10.85 oz
59987	Classic Nuplaglas (ML9514SG)	14"	SG	1	13.22 oz
59989	Classic Nuplaglas (ML9516SG)	16"	SG	1	14.1 oz
6-16 lb Sledge / 6-8 lb Maul Handles					
59800	Ergo-Power (ML132ESG)	32"	SG	1	2.77 lb
59801	Ergo-Power (ML136-ESG)	36"	SG	1	3.08 lb
59200	Classic Nuplaglas (ML11832SG)	32"	SG	1	2.75 lb

REPLACEMENT HANDLES



STRIKING

AXES

Pike Pole Handles

PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
36304	Classic Nuplaglas Pike Pole, Round (YPD-4R)	4'	-	1	2.95 lb
36404	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-4R)	4'	D	1	4.45 lb
36405	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-4RA)	4'	Aluminum D	1	5.95 lb
36306	Classic Nuplaglas Pike Pole, Round (YPD-6R)	6'	-	1	3.75 lb
36406	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-6R)	6'	D	1	5.25 lb
36407	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-6RA)	6'	Aluminum D	1	6.75 lb
36408	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-8R)	8'	D	1	6.05 lb
36409	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-8RA)	10'	Aluminum D	1	7.55 lb
36308	Classic Nuplaglas Pike Pole, Round (YPD-8R)	8'	-	1	4.55 lb
36310	Classic Nuplaglas Pike Pole, Round (YPD-10R)	10'	-	1	5.35 lb
36410	Classic Nuplaglas Pike Pole, Round w/ grip (YPDH-10R)	10'	D	1	6.85 lb
36318	Classic Nuplaglas Pike Pole, Round (YPD-18R)	18'	-	1	8.55 lb
35042	Super-Duty I-Beam Pike Pole w/ grip (SPDH-4)	4'	D	1	7.3 lb
68215	Super-Duty I-Beam Fire Swatter (60FS)	60"	-	2	3 lb
78216	Pro-Tec McLeod Rake/Hoe Fire Tool (FHR-48PR)	48"	-	2	3 lb

DIGGING

MAINTENANCE

Digging & Maintenance Tool Handles

PART NO.	DESCRIPTION	LENGTH	GRIP STYLE	STD. PACK	STD. PACK WEIGHT
68800	Ergo-Power Hollow/Closed Back Shovel/Scoop (48LHS-E)	48"	-	6	14.5 lb
68801	Ergo-Power Hollow/Closed Back Shovel/Scoop (27SHD-E)	27"	D	6	11.5 lb
68803	Ergo-Power Hollow/Closed Back Shovel/Scoop (30SHD-E)	30"	D	6	12.5 lb
68427	Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (27SHD)	27"	D	6	11.5 lb
68430	Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (30SHD)	30"	D	6	12.5 lb
68436	Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (36SHD)	36"	D	6	13 lb
68446	Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (48SHD)	48"	D	6	14 lb
68448	Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (48LHS)	48"	-	6	14.5 lb
69034	Classic Nuplaglas Hollow/Closed Back Shovel/Scoop (18D-FL)	18"	D	6	7 lb
68553	Classic Nuplaglas Broom/Mop (48BMH)	48"	-	6	7 lb
68554	Classic Nuplaglas Broom/Mop (54BMH)	54"	-	6	8 lb
68555	Classic Nuplaglas Broom/Mop (60BMH)	60"	-	6	8.5 lb
78555	Pro-Tec Broom/Mop (60BMH-P)	60"	-	6	8.5 lb
68556	Classic Nuplaglas Broom/Mop (72BMH)	72"	-	6	9 lb
68611	Classic Nuplaglas Rake/Broom, tapered end fits threadless head (60RB)	60"	-	6	8.5 lb
68660	Classic Nuplaglas American Pattern Hoe (60NHH)	60"	-	6	14 lb

FORESTRY

FIRE

HANDLES



Ask your NUPLA salesperson about our Merchandising Programs



Nupla Corp.
11912 Sheldon Street
Sun Valley, CA 91352

www.nuplatools.com
email: sales@nuplacorp.com

For more information call
800-872-7661
or fax
800-546-8752