TOOL COUNTRY®
CONSTRUCTION SUPPLY
TOOLCOUNTRY.COM

Winter Essentials

WINTER JOBSITE SOLUTIONS



IN STOCK

STOCK SAFETY TO ORDER CHART

WARMING ESSENTIALS

PRODUCT #

STOCKED

6990-BULK

Hand Warming Packs



SKU 16989
Color White
Order multiple 1

PRODUCT DETAILS >

PRODUCT #

STOCKED

6992

Toe Warmer Packs



SKU 16992
Color White
Order multiple 40

PRODUCT DETAILS >

IN STOCK

WINTER TRACTION

PRODUCT # STOCKED

6316

Mid-Sole Ice Cleats | Flat Sole



Mid-sole traction for flat-sole footwear.

SKU 16320
Color Orange
Order multiple 1

PRODUCT DETAILS >

PRODUCT # STOCKED

6317

Mid-Sole Ice Cleats | Heeled Boot



Mid-sole traction for heeled boots.

SKU 16321
Color Orange
Order multiple 1

PRODUCT DETAILS >

PRODUCT # STOCKED

6310

Adjustable Slip-On Ice Cleats



Sizes M, L, XL
Color Black
SKU 16773, 16774, 16775
Order multiple 1

REVIEW: Source code 6310; supplied image / link identify 6300TC. Confirm model match.

PRODUCT DETAILS >

SNOW REMOVAL TOOLS

PRODUCT # STOCKED

Ames 1602100

30-Inch Snow Pusher



PRODUCT DETAILS >

PRODUCT # STOCKED

Ames True Temper 1603500

24-Inch Snow Shovel



Steel D-grip handle.

PRODUCT DETAILS >

PRODUCT # STOCKED

Ames True Temper1635000

24-Inch Poly Snow Pusher



VersaGrip handle.

PRODUCT DETAILS >

ICE MELT SOLUTIONS

SAFER JOBSITES ALL WINTER LONG.

PALLET PRICING

BULK DISCOUNTS UPON REQUEST.







POLAR ICE MELT

- Melts down to -25°F
- Fast-acting, extreme cold formula
- Pet friendly formula

ECO MELT

- Environmentally safe
- Pet friendly formula
- Safer on concrete, carpets and floors

PALLET PURCHASE AVAILABLE

Great for contractors, facilities and bulk use.

IDEAL FOR TOUGH WINTER CONDITIONS

Keep walkways, parking lots and job sites safer all season long.

Pricing and availability are subject to change.

CONCRETE CURING BLANKETS

KEEP CONCRETE WARM. BUILD THROUGH WINTER.

- MAINTAINS CONCRETE TEMPERATURE
- PROMOTES PROPER CURING
- REDUCES RISK OF COLD WEATHER DAMAGE
- DURABLE FOR TOUGH JOBSITE CONDITIONS



XR31225GR
XRB1225GR

XR31225GR | STOCKED

XRB1225GR | TO ORDER

GRIP-RITE CONCRETE CURING BLANKETS – SPECIFICATIONS

SKU	Description	Webbing Color	Nominal Thickness	Size		R-Value on Surface	R-Value with Air Space	Master Pack	Pallet Quantity	Quantity/Truckload (+/-10%)
				Cut	Finish					
XR31225GR	3 Layer Foam	Orange	1/2"	12' x 25'	11' 6" x 24' 5"	1.50	3.43	3	9	396
XRB1225GR	Bubble/Foam	Red	1/2"	12' x 26'	11' 6" x 24' 5"	2.03	3.82	1	—	350

GRIP-RITE FOAM LAYER COLOR SYSTEM

- Silver — 1 Layer Foam
- Blue — 2 Layers Foam
- Orange — 3 Layers Foam
- White — 4 Layers Foam
- Black — 5 Layers Foam
- Red — 1 Layer Foam / 2 Layers Bubble

KODIAK
INSULATED GLOVES

PRODUCT FAMILY K9697 - K9702

STOCKED

Kodiak Insulated Work Gloves

13-gauge polyester exterior shell. A4.



SIZE	PRODUCT #	SKU
XS	K9697	K969712
S	K9698	K969812
M	K9699	K969912
L	K9700	K970012
XL	K9701	K970112
XXL	K9702	K970212

Color Blue | Order multiple 12

COLD-WEATHER HAND PROTECTION

PRODUCT # STOCKED

56-451

MaxiDry Zero Thermal Gloves



Seamless knit ATG nylon; thermal lining; double-dipped nitrile MicroFoam grip on the full hand. Touchscreen compatible.

SIZE	SKU
S	56-451/S
M	56-451/M
L	56-451/L
XL	56-451/XL
XXL	56-451/XXL

Order multiple 6

PRODUCT DETAILS >

PRODUCT # STOCKED

7551

ANSI A5 Waterproof CR Gloves



ANSI A5 coated waterproof CR gloves. Orange.

SIZE	SKU
S	17672
M	17673
L	17674
XL	17675
2XL	17676

Color Orange
Order multiple 12

PRODUCT DETAILS >

INSULATED LEATHER GLOVES

SUPERIOR GLOVE

STOCKED

378GOBTKL

Endura Pro | Insulated Goatskin



ANSI A5 cut resistance; Thinsulate lining.
Cold-rated to 5°F (-15°C).
Liquid-resistant leather; unpadded palm.

PRODUCT DETAILS >

SUPERIOR GLOVE

TO ORDER

378KGTVB

Endura Pro | Insulated Impact



ANSI A5 cut; ANSI level 2 impact protection.
Cold-rated to -4°F (-20°C).
Liquid-resistant leather; padded palm.

PRODUCT DETAILS >

PYRAMEX

TO ORDER

GL3006CKF

Insulated Goatskin Driver



ANSI A5 cut; abrasion 4 and puncture 4.
Premium goatskin with HPPE and fleece liners.
Keystone thumb; slip-on cuff.

PRODUCT DETAILS >

PYRAMEX

TO ORDER

GL3006CKFB

Insulated Impact Goatskin Driver



ANSI A5 cut; ANSI/ISEA 138 impact level 2.
Premium goatskin with HPPE and fleece liners.
Hi-vis TPR back-of-hand protection.

PRODUCT DETAILS >

Confirm size availability and order quantities with Tool Country.

RECHARGEABLE HEATED VEST WITH BATTERY

Product # 6495





INCLUDES BATTERY AND CHARGING CABLE

ADJUSTABLE HEAT
Choose the right warmth for the job.

UP TO 9 HOURS OF RUN TIME
Long-lasting heat keeps you working in cold conditions.

RECHARGEABLE
Includes battery and charging cable. Takes 4 hours to fully charge.

TOOL COUNTRY SKU	MFG #	SIZE	COLOR	ORDER MULTIPLE	AVAILABILITY
41701	6495	S	Black	1	SPECIAL ORDER
41702	6495	M	Black	1	STOCKED
41703	6495	L	Black	1	STOCKED
41704	6495	XL	Black	1	STOCKED
41705	6495	2XL	Black	1	SPECIAL ORDER

logo services available

● STOCKED ● SPECIAL ORDER

Pricing available by quote. Stock status may change - contact Tool Country to confirm availability.

STOCKED
SAFETY EYEWEAR

SKU

STOCKED

OBL1-13-Clear IQ Lens

Obliterator IQ | Clear



IQuity anti-fog, foam-lined safety eyewear.

Order multiple 12

PRODUCT DETAILS >

SKU

STOCKED

OBL1-23-Smoke IQ Lens

Obliterator IQ | Smoke



IQuity anti-fog, foam-lined safety eyewear.

Order multiple 12

PRODUCT DETAILS >

PRODUCT #

STOCKED

5509

Zenon Z13 | Amber



Rimless, anti-scratch. 12/box; sold individually.

SKU PIP 250-06-5509

Order multiple 12

PRODUCT DETAILS >

PRODUCT #

STOCKED

Jackson 50002

Safety Glasses | Amber



Amber lens. 12/box; sold individually.

Order multiple 12

PRODUCT DETAILS >

STOCKED
ANTI-FOG EYEWEAR

RADIANS

STOCKED

RS1-11
Rad-Sequel Safety Glasses



Clear lens | Anti-fog

PRODUCT DETAILS >

PIP

STOCKED

250-08-0021
Zenon Z14SN



Gray lens | Anti-fog / anti-scratch

PRODUCT DETAILS >

PYRAMEX

STOCKED

SB8660DTM
Ever-Lite



Infinite Blue lens | H2MAX Anti-Fog

PRODUCT DETAILS >

PYRAMEX

STOCKED

SB8610R25TM
Ever-Lite Reader



Clear | H2MAX Anti-Fog | +2.5

PRODUCT DETAILS >

PYRAMEX

STOCKED

SB8620DTM
Ever-Lite



Smoke lens | H2MAX Anti-Fog

PRODUCT DETAILS >

PYRAMEX

STOCKED

SB8620DT
Ever-Lite



Smoke lens | Anti-Fog

PRODUCT DETAILS >

JOBSITE HEAT SOLUTIONS

RELIABLE WARMTH FOR TOUGHER DAYS.

KEEP CREWS PRODUCTIVE AND COMFORTABLE ALL WINTER LONG.



IN STOCK

3.6 Kw Portable Forced Air Electric Heater

MH360FAET

- 3500W 240V portable forced air electric space heater
- 240V 15 amp double pole breaker required
- Heats up to 307 sq ft with 12,283 BTU of heat

12,283 BTU OF HEAT | HEATS UP TO 307 SQ FT | 240V REQUIREMENT

IN STOCK

Master Industrial 150,000 BTU LP Forced Air Heater - Variable Output

150VMHD-GFA

- Heat up well-ventilated construction sites, workshops, farms, or garages
- Heavy-duty construction
- Variable BTU to efficiently heat-up well-ventilated spaces
- Time-tested electronic ignition for easy start-up
- 10-foot hose and regulator included
- 1-year limited warranty
- Made of rugged steel for years of use

VARIABLE BTU OUTPUT | HEAVY-DUTY CONSTRUCTION | EASY START-UP | INCLUDES 10' HOSE & REGULATOR

STOCKED
JOBSITE HEATERS

HEATSTAR

STOCKED

F170475

200,000 BTU Propane Convection Heater



200,000 BTU | Propane

PRODUCT DETAILS >

HEATSTAR

STOCKED

F105509

HS170QFAVT Propane Heater



170,000 BTU | Propane

PRODUCT DETAILS >

MR. HEATER

STOCKED

MH200C | F270500

200,000 BTU Propane Convection Heater



200,000 BTU | Propane

PRODUCT DETAILS >

HEATSTAR

STOCKED

F105504

HS210KT Portable Diesel / Kerosene Heater



210,000 BTU | Diesel / kerosene

PRODUCT DETAILS >

Follow manufacturer instructions for ventilation, fuel supply and clearances.

COLD STRESS SOLUTIONS

WORK//BREAK SCHEDULE FOR A FOUR HOUR SHIFT

Limiting exposure to cold is key in the prevention of cold stress. It's especially dangerous as temperatures lower and wind speed picks up. Below is a work//break schedule for workers based on the air temperature and wind speed of the environment:

AIR TEMPERATURE		NO NOTICEABLE WIND		5 MPH/8 KPH WIND		10 MPH/16 KPH WIND		15 MPH/24 KPH WIND		20 MPH/32 KPH WIND	
°C (approx.)	°F (approx.)	Maximum Work Period	Number of Breaks (>10 mins each)	Maximum Work Period	Number of Breaks (>10 mins each)	Maximum Work Period	Number of Breaks (>10 mins each)	Maximum Work Period	Number of Breaks (>10 mins each)	Maximum Work Period	Number of Breaks (>10 mins each)
-26° to -28°	-15° to -19°	(Normal Breaks) 1		(Normal Breaks) 1		75 min.	2	55 min.	3	40 min.	4
-29° to -31°	-20° to -24°	(Normal Breaks) 1		75 min.	2	55 min.	3	40 min.	4	30 min.	5
-32° to -34°	-25° to -29°	75 min.	2	55 min.	3	40 min.	4	30 min.	5		
-35° to -37°	-30° to -34°	55 min.	3	40 min.	4	30 min.	5				
-38° to -39°	-35° to -39°	40 min.	4	30 min.	5						
-40° to -42°	-40° to -44°	30 min.	5								
-43° & below	-45° & below	EMERGENCY WORK ONLY		EMERGENCY WORK ONLY		EMERGENCY WORK ONLY		EMERGENCY WORK ONLY		EMERGENCY WORK ONLY	

HOW TO USE THIS SCHEDULE:

- ☐ Across the top row, locate today's predicted wind speed.
- ☐ Down the left side, locate today's predicted air temperature.
- ☐ Follow across and down to find the recommended work time and warm-up/break-time in a four hour shift.

Example: if the wind speed is 5mph with an air temp of -20°F/29°C, workers shouldn't be outside for longer than 75 minutes at a time and should take a minimum of two, 10 minute breaks (warm-ups) in a heated area during a four-hour shift.

**Source: Adapted from Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices. Cincinnati: American Conference of Government Industrial Hygienists (ACGIH), 2013, page 202.*

DANGER STARTS WELL BEFORE ZERO

FROST BITE

SYMPTOMS: PALE, WAXY-WHITE SKIN COLOR; SKIN BECOMES HARD AND NUMB; USUALLY AFFECTS EXTREMITIES INCLUDING EARS AND NOSE.

RESPONSE:

- Move the person to a warm and dry area and remove any wet/tight clothing that may cut off blood circulation.
- **DO NOT** rub the affected area; rubbing can cause skin/tissue damage.
- Gently place the affected area in warm (105°F) water. Do not pour water directly on affected area. Warming will take 25-40 mins.
- Once normal movement and color return to area, dry and wrap to keep warm.
- Seek medical attention as soon as possible.

HYPOTHERMIA

SYMPTOMS: FATIGUE/DROWSINESS; UNCONTROLLED SHIVERING; COOL BLUISH SKIN; SLURRED SPEECH; CLUMSY MOVEMENTS; IRRITABLE/IRRATIONAL/ CONFUSED BEHAVIOR.

RESPONSE: CALL FOR EMERGENCY HELP IMMEDIATELY.


- Move the person to a warm and dry area and remove any wet/tight clothing and replace with dry clothing or wrap in a blanket.
- Drink warm, sweet drinks (sugar water or sports-type drinks). Avoid caffeinated drinks.
- Have the person move their arms and legs to create muscle heat. If unable to do so, place hot packs in armpits, groin, neck, and head. DO NOT rub the person or place them in warm water.

POLY SHEETING & SITE PROTECTION

TEMPORARY ENCLOSURE. WEATHER PROTECTION. JOBSITE COVERAGE.

- CREATES A TEMPORARY WEATHER ENCLOSURE
- HELPS PROTECT CREWS & MATERIALS
- IDEAL FOR SCAFFOLD WRAPPING & CONTAINMENT
- USEFUL FOR SNOW, WIND & DEBRIS PROTECTION







Eagle
SP6-20100 TO ORDER
String Reinforced Poly Sheeting



Eagle
SL12-13100 TO ORDER
Scaf-Lite Scaffold Sheeting



Eagle
ST-2020-L8 TO ORDER
Snow Tarp – 8 Loops

PRODUCT SPECIFICATIONS

SKU	Description	Size	Color	Key Features
SP6-20100	String Reinforced Poly Sheeting	20' x 100'	Clear	6 mil, reinforced grid, heavy-duty, multi-purpose
SL12-13100	Scaf-Lite Scaffold Sheeting	13' x 100'	Clear	12 mil, reinforced, ideal for scaffold wrapping
ST-2020-L8	Snow Tarp – 8 Loops	20' x 20'	Black w/ Yellow Loops	8 reinforced lift loops, durable construction

KEY BENEFITS

- Temporary weather enclosure
- Helps protect crews and materials
- Ideal for scaffold wrapping and building containment
- Useful for snow, wind, and debris protection
- Strong reinforced construction for demanding jobsites

COLD-WEATHER FACE & BODY

6495 VEST / ALL SIZES: PAGE 10

PRODUCT # TO ORDER

6844

Dual-Layer Balaclava



SKU 16844
Size universal | Color Black
Order multiple 12

PRODUCT DETAILS >

PRODUCT # TO ORDER

6821

Fleece Balaclava



SKU 16821
Size universal | Color Black
Order multiple 1

PRODUCT DETAILS >

PRODUCT # TO ORDER

6823

Hinged Balaclava



SKU 16823
Size universal | Color Black
Order multiple 12

PRODUCT DETAILS >

PRODUCT # TO ORDER

8390

Heat-Reflective Hi-Vis Jacket



Hi-vis jacket with heat-reflective lining.

Sizes M, L, XL, 2XL
Color Lime
SKU 25723, 25724, 25725, 25726
Order multiple 1

PRODUCT DETAILS >

logo services available

LAYERS & WINTER ACCESSORIES



6980

Winter Hand Warmer Muff

SKU 16980
Size universal | Color Black
Order multiple 1

TO ORDER



6435

Midweight Base Layer Shirt

240 g midweight long-sleeve base layer.
Sizes M, L, XL
Color Black
SKU 40203, 40204, 40205
Order multiple 1

TO ORDER



6480

Midweight Base Layer Pants

240 g midweight base layer.
Sizes M, L, XL
Color Black
SKU 40803, 40804, 40805
Order multiple 1

TO ORDER



6801

Rechargeable Skull Cap

SKU 16792
Size universal | Color Black
Order multiple 1

TO ORDER



6325

Spikeless Winter Traction

Sizes S, M, L, XL, 2XL
Color Black
SKU 16922, 16923, 16924, 16925, 16937
Order multiple 1

TO ORDER

logo services available

TO ORDER / SPECIAL ORDER

STOCK SAFETY TO ORDER CHART

THERMAL WORK GLOVES

PRODUCT #

TO ORDER

7521

Thermal Impact-Resistant Gloves



ProFlex 7521 thermal coated impact-resistant glove. A2.

SIZE	SKU
S	17642
M	17643
L	17644
XL	17645
2XL	17646

Color Gray
Order multiple 12

PRODUCT DETAILS >

PRODUCT #

TO ORDER

41-1417

G-Tek PolyKor Thermal Gloves



Seamless knit PolyKor blend; acrylic liner; double-dipped nitrile foam full-hand grip. Touchscreen compatible. A4.

SIZE	SKU
S	41-1417/S
M	41-1417/M
L	41-1417/L
XL	41-1417/XL
XXL	41-1417/XXL

Color black/blue
Order multiple 12

PRODUCT DETAILS >

Milwaukee®

M12™

HEAT BUILT FOR THE JOB.

ALL-DAY WARMTH FOR A TOUGHER WINTER.



M200B-20

M12 HEATED FULL-ZIP HOODIE

SIZES S – 3X

SPECIAL ORDER

Engineered to keep you warm and productive in the harshest conditions. The Milwaukee® M12™ Heated Hoodie delivers fast, consistent heat with a rugged design built for the job.



AVAILABLE COLORS

F200B-21

M12 WOMEN'S HEATED HOODIE

SIZES XS – 2X

SPECIAL ORDER

Engineered for the same powerful warmth in a women's fit. The Milwaukee® M12™ Women's Heated Hoodie delivers fast, consistent heat with work-ready durability and comfort.



AVAILABLE COLORS

HEXON HEAT TECHNOLOGY™

PROVEN HEAT. BUILT FOR WINTER.

HEXON HEAT TECHNOLOGY
Stays warmer for longer

FAST HEAT-UP TIME
Feel the heat faster

GREATEST HEAT COVERAGE
Targeted warmth where you need it

HIDDEN DRAWSTRINGS
Cleaner look on the job

REINFORCED POCKETS
Built for durability

WASHER & DRYER SAFE
Built for keep up with your routine

M12 BATTERY AND CHARGER SOLD SEPARATELY.

logo services available



YOUR TEAM. YOUR LOGO. ON THE JOB.

logo services available

SHERPA-LINED FULL-ZIP HOODIE

PRODUCT # 323M6988T

TO ORDER

Full-Zip Sherpa-Lined Hoodie

ANSI Type R Class 3. Full zip, hooded, with sherpa lining.

R3



R3



YELLOW

SIZE	SKU
S	323M6988T-YLNV/S
M	323M6988T-YLNV/M
L	323M6988T-YLNV/L
XL	323M6988T-YLNV/XL
2XL	323M6988T-YLNV/2XL
3XL	323M6988T-YLNV/3XL
4XL	323M6988T-YLNV/4XL

ORANGE

SIZE	SKU
S	323M6988T-ORNV/S
M	323M6988T-ORNV/M
L	323M6988T-ORNV/L
XL	323M6988T-ORNV/XL
2XL	323M6988T-ORNV/2XL
3XL	323M6988T-ORNV/3XL
4XL	323M6988T-ORNV/4XL

Color Yellow, Orange | Order multiple 1

logo services available

RIPSTOP SOFTSHELL JACKET

PRODUCT # 333-1550

TO ORDER

Ripstop Softshell Jacket

ANSI Type R Class 3. Ripstop softshell with black bottom.



SIZE	SKU
S	333-1550-LY/S
M	333-1550-LY/M
L	333-1550-LY/L
XL	333-1550-LY/XL
2XL	333-1550-LY/2X
3XL	333-1550-LY/3X
4XL	333-1550-LY/4X
5XL	333-1550-LY/5X
6XL	333-1550-LY/6X
7XL	333-1550-LY/7X
8XL	333-1550-LY/8X
9XL	333-1550-LY/9X
10XL	333-1550-LY/10X

Color Yellow | Order multiple 1

REVIEW: Extended sizes are shown as supplied; confirm range before ordering.

logo services available

WOMEN'S SOFTSHELL JACKET

PRODUCT # 333W6059T

TO ORDER

Women's Contoured Softshell Jacket

ANSI Type R Class 2. Contoured fit.

R2



R2



ORANGE

SIZE	SKU
S	333W6059T-ORNV/S
M	333W6059T-ORNV/M
L	333W6059T-ORNV/L
XL	333W6059T-ORNV/XL
2XL	333W6059T-ORNV/2XL
3XL	333W6059T-ORNV/3XL
4XL	333W6059T-ORNV/4XL

YELLOW

SIZE	SKU
S	333W6059T-YLNV/S
M	333W6059T-YLNV/M
L	333W6059T-YLNV/L
XL	333W6059T-YLNV/XL
2XL	333W6059T-YLNV/2XL
3XL	333W6059T-YLNV/3XL
4XL	333W6059T-YLNV/4XL

Color Orange, Yellow | Order multiple 1

logo services available

WOMEN'S SHERPA-LINED HOODIE

PRODUCT # 323W6819T

TO ORDER

Women's Sherpa-Lined Hoodie

ANSI Type R Class 2. Contoured, full-zip hooded sweatshirt with sherpa lining.

R2



R2



YELLOW

SIZE	SKU
S	323W6819T-YEL/S
M	323W6819T-YEL/M
L	323W6819T-YEL/L
XL	323W6819T-YEL/XL
2XL	323W6819T-YEL/2XL
3XL	323W6819T-YEL/3XL

ORANGE

SIZE	SKU
S	323W6819T-OR/S
M	323W6819T-OR/M
L	323W6819T-OR/L
XL	323W6819T-OR/XL
2XL	323W6819T-OR/2XL
3XL	323W6819T-OR/3XL

Color Yellow, Orange | Order multiple 1

logo services available

DRIFIRE
FR WINTER GEAR

H92FWPS TO ORDER

DRIFIRE Power Grid FR Balaclava



POWER GRID fleece FR balaclava.
SKU H92FWPS (Black)

PRODUCT DETAILS >

SWSLHE03 TO ORDER

DRIFIRE FR Lined Pullover Hoodie



FR Hi-Vis Hybrid Lined Pullover Hoodie. Class 3.
SKU SWSLHE03-_ _
Size Sm-3X/ RG & TL | Color Hi-vis Lime
Order multiple 1

PRODUCT DETAILS >

SWSHEHZC3 TO ORDER

DRIFIRE FR Zip Hoodie



FR Hi-Vis Hybrid Zip Hoodie. Class 3.
SKU SWSHEHZC3-_ _
Size Sm-3X/ RG & TL | Color Hi-vis Lime
Order multiple 1

PRODUCT DETAILS >

SWSLHE04 TO ORDER

DRIFIRE FR Deluxe Lined Zip Hoodie



FR Hybrid Deluxe Lined Zip Front Hoodie. Class 3.
SKU SWSLHE04-_ _
Size Sm-3X/ RG & TL | Color Hi-vis Lime
Order multiple 1

PRODUCT DETAILS >

logo services available

HEATED APPAREL & BOMBER JACKET

SKU TO ORDER

RHG-V202BL

Women's Heated Vest | Blue



PRODUCT DETAILS >

SKU TO ORDER

RHG-V202G

Women's Heated Vest | Gray



PRODUCT DETAILS >

SKU TO ORDER

RHG-J101B

Women's Heated Softshell Jacket



PRODUCT DETAILS >

PRODUCT # TO ORDER

SJ511B

Hi-Vis Hooded Bomber Jacket



Radians Class 3 jacket with removable sleeves.

Sizes S, M, L, XL, 2XL, 3XL
Color Hi-vis Lime
SKU SJ511B-3ZGS-S, SJ511B-3ZGS-M, SJ511B-3ZGS-L, SJ511B-3ZGS-XL, SJ511B-3ZGS-2X, SJ511B-3ZGS-3X

PRODUCT DETAILS >

logo services available

LAYER UP FOR THE JOBSITE



SW02-3ZGS-(size)

Knitted Fleece Hoodie

Class 3 knitted fleece hoodie sweater.
Size S-3XL
Order multiple 1

TO ORDER



SW05-3ZGS-(size)

Sherpa-Lined Zip Hoodie

Class 3 sherpa-lined zip hoodie.
Size S-3XL
Order multiple 1

TO ORDER



SW05W-3ZGS-(size)

Women's Asymmetrical Zip Hoodie

Women's Class 3 sherpa-lined asymmetrical zip hoodie.
Size S-3XL
Order multiple 1

TO ORDER



SJ323-1ZGS-(size)

Softshell Jacket

Type P Class 2 / Type R Class 1.
Size S-3XL
Order multiple 1

TO ORDER



SJ323W-3ZGS-(size)

Women's Softshell Jacket

Women's Class 3 softshell jacket.
Size S-3XL
Order multiple 1

TO ORDER

logo services available

TO ORDER / SPECIAL ORDER

HAND & EYE PROTECTION

TO ORDER

N9690FC

Ninja Ice Insulated Gloves



15-gauge black nylon shell. A3.
Sizes S, M, L, XL, XXL
Color Black
SKU N9690FCS, N9690FCM, N9690FCL, N9690FCXL, N9690FCXXL
Order multiple 12

PRODUCT DETAILS >

TO ORDER

41-8014

G-Tek PolyKor Seamless Knit Glove



Single-layer PolyKor/acrylic blend glove with double-dip latex MicroSurface grip on palm & fingers.

PRODUCT DETAILS >

TO ORDER

RWG27

Radians RWG27 Winter Gripper Glove



Cut protection level A3 dipped winter gripper glove.

PRODUCT DETAILS >

AIRSTAR
BALLOON LIGHTING



Shared application photograph supplied for the Sirocco series. This is not a model-specific product view.

Sirocco 300

TO ORDER

Source coverage: 14,908 sq ft.

Order multiple 1

Sirocco 500

TO ORDER

Source coverage: 24,638 sq ft.

Order multiple 1

Sirocco 1300

TO ORDER

Coverage entry requires confirmation (source: 69,96 sq ft).

Order multiple 1

PORTABLE JOBSITE LIGHTING

PRODUCT # TO ORDER

AL4KBP

Portable Battery Light Kit



Two 2,000-lumen LED heads; 4,000 lumens total. 22-amp, 12 VDC AGM battery; 3-amp, 115 VAC charger, cables and roller case.

Order multiple 1

PRODUCT # TO ORDER

AL9800BP

Portable Battery Light Kit



Two 4,900-lumen LED heads; 9,800 lumens total. 22-amp, 12 VDC AGM battery; 3-amp, 115 VAC charger, cables and roller case.

Order multiple 1

PRODUCT # TO ORDER

2136-20

M18 ROCKET Tower Light / Charger



Order multiple 1

PRODUCT DETAILS >

WIND CHILL

PLAN AHEAD & STAY SAFE

WIND CHILL CHART - PLAN AHEAD & STAY SAFE

5 TIPS TO STAY SAFE

1. Layer up with loose clothing. **2.** Keep extremities warm with hat, gloves, and socks. **3.** Know your medical risks based on your health condition. **4.** Know the symptoms of frostbite, hypothermia, and trench foot. **5.** Protect your lungs by creating a humidifier using a balaclava or mask to warm and filter the cold air you breathe in.

NWS WINDCHILL CHART — **FROSTBITE TIMES:** 30 minutes | 10 minutes | 5 minutes

TEMPERATURE (°F / °C)

WIND (mph / kph)	40/4	35/2	30/-1	25/-4	20/-7	15/-9	10/-12	5/-15	0/-18	-5/-21	-10/-23	-15/-26	-20/-29	-25/-32	-30/-34	-35/-37	-40/-40	-45/-43
5/8	36/2	31/-1	25/-4	19/-7	13/-11	7/-14	1/-17	-5/-21	-11/-24	-16/-27	-22/-30	-28/-33	-34/-37	-40/-40	-46/-43	-52/-47	-57/-49	-63/-53
10/16	34/1	27/-3	21/-6	15/-9	9/-13	3/-16	-4/-20	-10/-23	-16/-27	-22/-30	-28/-33	-35/-37	-41/-41	-47/-44	-53/-47	-59/-51	-66/-54	-72/-58
15/24	32/0	25/-4	19/-7	13/-11	6/-14	0/-18	-7/-22	-13/-25	-19/-28	-26/-32	-32/-36	-39/-39	-45/-43	-51/-46	-58/-50	-64/-53	-71/-57	-77/-61
20/32	30/-1	24/-4	17/-8	11/-12	4/-16	-2/-19	-9/-23	-15/-26	-22/-30	-29/-34	-35/-37	-42/-41	-48/-44	-55/-48	-61/-52	-68/-56	-74/-59	-81/-63
25/40	29/-2	23/-5	16/-9	9/-13	3/-16	-4/-20	-11/-24	-17/-27	-24/-31	-31/-35	-37/-38	-44/-42	-51/-46	-58/-50	-64/-53	-71/-57	-78/-61	-84/-64
30/48	28/-2	22/-6	15/-9	8/-13	1/-17	-5/-21	-12/-24	-19/-28	-26/-32	-33/-36	-39/-39	-46/-43	-53/-47	-60/-51	-67/-55	-73/-58	-80/-62	-87/-66
35/56	28/-2	21/-6	14/-10	7/-14	0/-18	-7/-22	-14/-26	-21/-29	-27/-33	-34/-37	-41/-41	-48/-44	-55/-48	-62/-52	-69/-56	-76/-60	-82/-63	-89/-67
40/64	27/-3	20/-7	13/-11	6/-14	-1/-18	-8/-22	-15/-26	-22/-30	-29/-34	-36/-38	-43/-42	-50/-46	-57/-49	-64/-53	-71/-57	-78/-61	-84/-64	-91/-68
45/72	26/-3	19/-7	12/-11	5/-15	-2/-19	-9/-23	-16/-27	-23/-31	-30/-34	-37/-38	-44/-42	-51/-46	-58/-50	-65/-54	-72/-58	-79/-62	-86/-66	-93/-69
50/80	26/-3	19/-7	12/-11	4/-16	-3/-19	-10/-23	-17/-27	-24/-31	-31/-35	-38/-39	-45/-43	-52/-47	-60/-51	-67/-55	-74/-59	-81/-63	-88/-67	-95/-71
55/89	25/-4	18/-8	11/-12	4/-16	-3/-19	-11/-24	-18/-28	-25/-32	-32/-36	-39/-39	-46/-43	-54/-48	-61/-52	-68/-56	-75/-59	-82/-63	-89/-67	-97/-72
60/97	25/-4	17/-8	10/-12	3/-16	-4/-20	-11/-24	-19/-28	-26/-32	-33/-36	-40/-40	-48/-44	-55/-48	-62/-52	-69/-56	-76/-60	-84/-64	-91/-68	-98/-72

*Source: NOAA, National Weather Service Office of Climate, Water, and Weather Services. www.nws.noaa.gov/os/windchill/

KEEP THE REFERENCE WITH YOUR CREW

Original supplied safety sheet reproduced intact. Use alongside your site-specific cold-weather procedures.

TOOL COUNTRY CONSTRUCTION SUPPLY
toolcountry.com